




DOCUMENT NO:
CA-628485-C00

SHEET 3 OF 3

B

C

B

A

FORMAT: C-U_E-I

11. FOR INSERT ARRANGEMENT SEE LQ-21818-AB.

10. CABLE ASSEMBLY SHALL BE MANUFACTURED, TESTED, AND INSPECTED IAW IPC/WHMA-A-620, CLASS 3.

9. INDICATED LINES ARE COMMON THROUGH **P1** GROUNDPLANE CONNECTOR.

8. AFTER CONTACT TERMINATION, EACH OCTONET OUTER BODY SHALL BE GROUNDED TO ITS CENTER INNER CONTACT (GND).

7. CABLE ASSEMBLY SHALL BE SHIPPED, WITH PROTECTION CAPS INSTALLED, IN ANTISTATIC BAG WITH DESICCANT.

6. INDICATED AREA SHALL BE SPOT TIED
USING EITHER WIRE LACING OR ZIP TIES.

5. CABLE ASSEMBLIES SHALL BE WIRED IN ACCORDANCE WITH WIRING TABLE.

4. MARKING SHALL BE APPLIED WITH BLACK INK ON WHITE LABEL PER MARKING TABLE.

3. PROCESS SPEC:
9-9172-3, 9-3895

2. MARK ANTISTATIC BAG WITH "AMPHENOL", PART NUMBER, SERIALIZED DATE CODE (9-9172-3) & LOT NUMBER (9-3895).

EXAMPLE:

AMPHENOL CA-628485-C00 1618001 161234567

1. CABLE SHALL BE TESTED PER ELECTRICAL TEST TABLE.

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED.
HOWEVER, DOCUMENTS REFERENCED HEREON
MAY CONTAIN LIMITED RIGHTS DATA.

SIZE C	CAGE CODE 77820	DOCUMENT NO. CA-628485-C00	REV. B
SCALE: 1:3		REF: CA-628485-C11	SHEET 3 OF 3

DOCUMENT NO.
CA-628485-C00

SHEET 3 OF 3

REV
DREV
D

IMAGED / Oct. 31 2022, 9:04:15 PM³

?

1

C

Eng PDM Information For Reference Only	REVISION B	VERSION 6
---	----------------------	---------------------

SHEET 3 OF 3 REV. B

DOCUMENT NO.
CA-628485-C00

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[CA-628485-C00](#)