





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	FIRST RELEASE	12NOV2017	SZ	SZ


- 1 PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER





SECTION S-S

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN SEAN ZHANG	30OCT2016	PART NUMBER		2204798-1	
DIMENSIONS:			CHK -	NAME HIGH CURRENT SUPER CARD EDGE	TE Connectivity			
mm			APVD SUNY ZHAO		24JAN2017			
			PRODUCT SPEC					
			108-128053					
TOLERANCES UNLESS OTHERWISE SPECIFIED:			APPLICATION SPEC				RESTRICTED TO	
MATERIAL			114-128056				-	
FINISH			WEIGHT				-	
CUSTOMER DRAWING			SCALE				2:1	
-			A 1				SHEET 1 OF 2	
-			C=2204798				REV A	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED MATING BOARD EDGE CONFIGURATION



RECOMMENDED MOUNTING BOARD HOLE LAYOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: SEAN ZHANG 30OCT2016	TE Connectivity	
DIMENSIONS:		CHK: -		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: SUNY ZHAO 24JAN2017	NAME: HIGH CURRENT SUPER CARD EDGE	
0 PLC ±0.5	1 PLC ±0.25	PRODUCT SPEC	SIZE: A1	
2 PLC ±0.25	3 PLC ±0.25	APPLICATION SPEC	CAGE CODE: -	
4 PLC ±0.25	ANGLES ±0.25	114-128056	DRAWING NO: 2204798	
MATERIAL: -	FINISH: -	WEIGHT: -	CUSTOMER DRAWING	
SCALE: 5:1		SHEET: 2 OF 2		REV: A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2204798-1](#)