



## HDC HMN EMC MODULE INSERT

TE Connectivity (TE) EMC Shielding Modular Insert is designed to provide EMC protection solutions in modular systems.

The existing solution needs two connectors to transition power and signal separately, with new HMN shielding modular insert. Which enables the customer to combine signal and power in one modular system. This is also beneficial for our customer helping to save space, reduce the cost and avoid additional power noise.

### BENEFITS

- Ensure signal performance together with power
- Size reduction for signal transmission solution
- Reduce the operation cycle time. Improve the operation efficiency

### FEATURE

- EMC shielding
- Large position (32P) per module
- Small quantity components design
- Reliable HDC dynamic contact

## HDC HMN EMC Module Insert

### APPLICATIONS

- Semi conductor
- Machinery
- Robotic
- Wind power
- Warehouse automation

### MATERIALS

- As specified on the product drawing

### MECHANICAL

- Acc. to EN 61984 connectors. Safety requirements and tests

### ELECTRICAL

- 2.2A 32V 0.8KV 3
- EMC Shielding

### STANDARD

- **EN 61984:** Connectors - safety requirements and tests
- **IEC 60068:** Environmental testing
- **IEC 60512:** Connectors for electronic equipment - test and measurements
- **IEC 60529:** Degrees of protection provided by enclosures (IP Code)
- **IEC 60664-1:** Insulation coordination for equipment within low-voltage systems (Part 1)
- **EN 61373:** Railway application - rolling stock equipment - shock and vibration test
- **ISO 6988:** Metallic and other non-organic coatings - sulfur dioxide test with general condensation of moisture

### SPECIFICATIONS

- [108-137507](#)

### PART NUMBER LIST

Part number	Part description
<a href="#">T2111322101-000</a>	HMN-HD1-32-M,8.45
<a href="#">T2111322201-000</a>	HMN-HD1-32-F,8.45
<a href="#">T2111322101-001</a>	HMN-HD1-32-M,12.2
<a href="#">T2111322201-001</a>	HMN-HD1-32-F,12.2

Contact Size (Insulation range (mm))	Applicable Contact	
	Tab	Receptacle
	Part Number	Part Number
S (0.6-1.2)	<a href="#">2316663-1</a> : Reel <a href="#">2316669-1</a> : L/P	<a href="#">2316670-1</a> : Reel <a href="#">2316671-1</a> : L/P
M (1.08-1.6)	<a href="#">2316663-2</a> : Reel <a href="#">2316669-2</a> : L/P	<a href="#">2316670-2</a> : Reel <a href="#">2316671-2</a> : L/P

### te.com

© 2021 TE Connectivity. All Rights Reserved.

TE Connectivity, TE connectivity (logo) and Every Connection Counts are trademarks owned or licensed by TE Connectivity. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

11/21 AK

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[T2111322101-000](#) [T2111322101-001](#) [T2111322201-000](#) [T2111322201-001](#)