

## Specification Sheet

Part Number: 110-80004

Tensions and provides clean, flush cuts for 50lb. to 250lb. cable ties, including wide strap ties.

Impact-resistant housing and durable components for extended service life.

Easy-to-adjust tension knob offers 33 different settings for precise, repeatable applications.

Advanced ergonomic design minimizes necessary hand force and “kickback” to reduce repetitive-motion injuries.



|                |           |
|----------------|-----------|
| Article Number | 110-80004 |
|----------------|-----------|

|      |        |
|------|--------|
| Type | EVO9HT |
|------|--------|

|       |                     |
|-------|---------------------|
| Color | Black (BK) Red (RD) |
|-------|---------------------|

|              |      |
|--------------|------|
| Quantity Per | pack |
|--------------|------|

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton's EVO 9 manual cable tie application tool combines durability, precision and control with unparalleled comfort. Manufactured with high-performance materials and components, the EVO 9 cuts cable ties with up to 250-lb tensile strength. Its innovative, ergonomic design minimizes the stress on hands and wrists and “kickback” that occur with traditional tools, reducing the risk of repetitive-motion injuries. The HT model offers high tension while the SP model features a smaller grip. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                |                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------|
| Short Description              | EVO 9HT High Tension Mechanical Hand Tool, Tension Range 27 lb to 116 lb, 1/pkg |
| Global Part Name               | EVO9HT-MET/PL-BK/RD                                                             |
| Length L (Imperial)            | 7.5                                                                             |
| Length L (Metric)              | 191                                                                             |
| Width W (Imperial)             | 1.3                                                                             |
| Width W (Metric)               | 33                                                                              |
| Cable Ties                     | T120, T150, T250, T255, WS                                                      |
| Height H (Imperial)            | 5.3                                                                             |
| Height H (Metric)              | 135                                                                             |
| Cable Tie Width Max (Imperial) | 0.5                                                                             |
| Material                       | Metal (MET) Plastic (PL)                                                        |
| Material Shortcut              | MET PL                                                                          |
| UV Resistant (Yes/No)          | No                                                                              |
| Reach Compliant (Article 33)   | No                                                                              |

|                             |            |
|-----------------------------|------------|
| ROHS Compliant              | Yes        |
| Package Quantity (Imperial) | 1          |
| Package Quantity (Metric)   | 1          |
| Customs Number              | 8205599000 |

7930 N. Faulkner Road, Milwaukee, WI 53224  
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.  
[Contact Us](#)   [RoHS/WEEE Compliance](#)   [Disclaimer](#)   [Terms and Conditions](#)