

## Specification Sheet

Part Number: 596-00242

Made with UV stable inks and materials for durability and weather resistance.



The labels are supplied with aggressive adhesive to ensure long life.

Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Solar Label, Clear Laminate, UV Stable, 4.2" x 2.25", VL, Clear, 50/roll

Article Number 596-00242

Type LAM1

Color Clear (CL)

Quantity Per pack

Product Description HellermannTyton printable Solar Installation labels are designed to meet the requirements of the 2014 and 2017 National Electrical Code (NEC) and the International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV stable materials and adhesives that are designed to stick to both baked enamel and powder coat surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed.

Short Description	Solar Label, Clear Laminate, UV Stable, 4.2" x 2.25", VL, Clear, 50/roll
Global Part Name	LAM1-443/281-CL
Local Order Number 2	Cross Reference = 10 per pack: 596-00670
Width W (Imperial)	4.2
Width W (Metric)	106.6
Thickness T (Metric)	64.0
Height H (Imperial)	2.25
Height H (Metric)	57.10
Material	Type 443/281, UV stabilized, flexible white vinyl with clear polyester laminate (443/281)
Material Shortcut	443/281
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use

Adhesive Operating Temperature -40°F to +174°F (-40°C to +79°C)

Operating Temperature -40°F to +174°F (-40°C to +79°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Certification/Specification NEC2011 UL 969 IFC 2012

Warranty (US) Yes

UL Recognized (US) Yes

Package Quantity (Imperial) 50

Package Quantity (Metric) 50

Customs Number 3919102055

Labels per Column 1

Labels per Row 1

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: [corp@htamericas.com](mailto:corp@htamericas.com)

© 2026 HellermannTyton. All Rights Reserved.

Contact Us    RoHS/WEEE Compliance    Disclaimer    Terms and Conditions