

Product data sheet

Specifications

Symmetrical DIN rail, H35xD7.5 mm
Length: 316 mm, for boxes of 325 mm (Internal)



NSYAMRD34357TB

Main

Range	PanelSeT
Accessory / separate part category	Installation accessory
Product or component type	Rail
Device application	Multi-purpose
For enclosure nominal dimensions	-
quantity per package	Set of 10

Complementary

Type of rail	Symmetrical DIN
Range compatibility	PanelSeT PanelSeT TBS
Device composition	1 rail
Material	Steel
Surface finish	Zinc coated
Length	Real: 316 mm Internal box height or width: 325 mm
Height	35 mm
Width	7.5 mm
Thickness	1 mm
Product weight	0.11 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.750 cm
Package 1 Width	3.500 cm
Package 1 Length	34.100 cm
Package 1 Weight	110.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	20.000 cm
Package 2 Width	30.000 cm

Package 2 Length	40.000 cm
Package 2 Weight	5.600 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	500
Package 3 Height	50.000 cm
Package 3 Width	100.000 cm
Package 3 Length	125.000 cm
Package 3 Weight	76.000 kg

Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Pro-active compliance (Product out of EU RoHS legal scope)**

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability **No need of specific recycling operations**

Take-back **No**

Image of product / Alternate images

Alternative

