

# Product data sheet

Specifications



## APC NetShelter Power Cord, IEC C13 to C20, 2.0m

AP9879

Product availability: Non-Stock - Not normally stocked in distribution facility

### Overview

Lead time	Usually in Stock
-----------	------------------

### Main

Product or Component Type	Power cord
Input Connection Type	IEC 60320 C20
Cable length	6.5 ft (2.0 m)
Number of cables	1

### Physical

Color	Black
Product Weight	0.79 lb(US) (0.36 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Input

Max line current	10 A
------------------	------

### Output

Maximum Total Current Draw per Phase	10 A
Number of power socket outlets	1 IEC 60320 C13

### Conformance

Product Certifications	UL Listed
------------------------	-----------

### Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
Discount Schedule	APC1
GTIN	731304198734
Returnability	No
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	3.90 in (9.900 cm)
Package 1 Width	3.90 in (9.900 cm)
Package 1 Length	11.81 in (30.000 cm)
Package weight(Lbs)	16.473 oz (467.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	4
Package 2 Height	11.81 in (30 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	5.044 lb(US) (2.288 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	32
Package 3 Height	17.72 in (45.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	66.809 lb(US) (30.304 kg)

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	114
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
Halogen content performance	Product contains halogen above thresholds

Use Again

Repack and remanufacture	
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.