



Main

Range of Product	Modicon M171/M172
Accessory / separate part category	Electrical accessory
Accessory / Separate Part Type	Battery

Complementary

Product compatibility	Modicon M172 expansion EEV
Battery Life	0...5 year(s)
Battery power in VAh	0.06 VAh
Accessory / separate part destination	Electronic expansion valve module
Width	1.42 in (36 mm)
Depth	2.36 in (60 mm)
Height	4.33 in (110 mm)
Net Weight	0.35 lb(US) (0.157 kg)

Environment

IP Degree of Protection	IP20
Ambient Air Temperature for Operation	-4...140 °F (-20...60 °C)
Ambient Air Temperature for Storage	-22...158 °F (-30...70 °C)
Relative Humidity	5...95 % non-condensing
Standards	UL94 (material V0)

Ordering and shipping details

Category	22537-M171 / M172 HVAC CONTROLLERS
Discount Schedule	PC12
GTIN	3606481893314
Returnability	No
Country of origin	IT

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.54 in (9 cm)
Package 1 Width	5.08 in (12.9 cm)
Package 1 Length	5.20 in (13.2 cm)
Package 1 Weight	6.03 oz (171 g)
Unit Type of Package 2	S02
Number of Units in Package 2	8
Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)

Package 2 Length	15.75 in (40 cm)
Package 2 Weight	3.66 lb(US) (1.661 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Upgradeability	Upgradeable through digital modules and upgraded components