

Product data sheet

Specifications

remote cable, Altivar, Lexium, 10m,
for graphic display terminal



VW3A1104R100

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|---------------------------------------|--|
| Range of Product | Altivar |
| Accessory / separate part category | Connection accessories |
| Accessory / Separate Part Type | Remote cable |
| Product or Component Type | Connecting cable |
| Product Compatibility | VW3A1101 |
| Accessory / separate part destination | Remote graphic display terminal |
| Range Compatibility | Easy Altivar 610 Lexium 32 Altivar Machine ATV320 Altivar 312 Solar Altivar 71 Altivar 312 Altivar 32 Altivar 71Q Altivar 61Q Altivar Process ATV600 Altivar 212 Altivar Machine ATV340 Altivar Process ATV900 Altivar 61 |
| Cable length | 32.8 ft (10 m) |

Complementary

| | |
|-----------------------|---------------------|
| Electrical Connection | 2 male connectors |
| Connector Type | RJ45 |
| Product Weight | 1.1 lb(US) (0.5 kg) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1CP4C22135 |
| Discount Schedule | CP4C |
| GTIN | 3389118070424 |
| Returnability | Yes |
| Country of origin | FR |

Packing Units

| | |
|------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 1.18 in (3.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|------------------------------|--------------------------|
| Package 1 Width | 9.06 in (23.000 cm) |
| Package 1 Length | 9.06 in (23.000 cm) |
| Package weight(Lbs) | 15.379 oz (436.000 g) |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 20 |
| Package 2 Height | 11.81 in (30.000 cm) |
| Package 2 Width | 11.81 in (30.000 cm) |
| Package 2 Length | 15.75 in (40.000 cm) |
| Package 2 Weight | 20.631 lb(US) (9.358 kg) |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again

Repack and remanufacture

| | |
|-----------|----|
| Take-back | No |
|-----------|----|