

Product data sheet

Specifications



Undervoltage release (MN), TeSys Deca, 110-115V AC 50Hz

GVAU115

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	TeSys TeSys Deca
Product or Component Type	Undervoltage release
Device short name	GVAU

Complementary

Range compatibility	TeSys GV2ME TeSys GV2LE TeSys GV2L TeSys GV2P TeSys GV3L TeSys GV3P TeSys Deca
[Uc] control circuit voltage	127 V AC 60 Hz 110...115 V AC 50 Hz
Control circuit voltage limits	0.85...1.1 Un
[Ui] rated insulation voltage	690 V AC IEC 60947-1 600 V AC UL 60947-4-1 600 V AC CSA C22.2 No 60947-4-1
Threshold tripping voltage	0.7...0.35 Un
Inrush power in VA	12 VA AC
Inrush power in W	8 W
Hold-in Power Consumption in VA	3.5 VA AC
Hold-in power consumption in W	1.1 W
Operating time	10...15 ms IEC 60947-1
On-load factor	100 %
Connections - terminals	screw clamp terminals 1 0.002...0.004 in ² (1...2.5 mm ²)solid screw clamp terminals 2 0.002...0.004 in ² (1...2.5 mm ²)solid screw clamp terminals 1 0.001...0.004 in ² (0.75...2.5 mm ²)flexible without cable end screw clamp terminals 2 0.001...0.004 in ² (0.75...2.5 mm ²)flexible without cable end screw clamp terminals 1 0.001...0.002 in ² (0.75...1.5 mm ²)flexible with cable end screw clamp terminals 2 0.001...0.002 in ² (0.75...1.5 mm ²)flexible with cable end
Tightening torque	< 1.4 N.m screw clamp terminals
Mechanical durability	10000 cycles with GV3P and GV3L 30000 cycles with GV2ME and GV2P
Quantity per Set	Set of 10
Height	3.5 in (89 mm)
Width	0.7 in (18 mm)
Depth	2.6 in (66 mm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Product Weight	0.231 lb(US) (0.105 kg)
-----------------------	-------------------------

color	Dark grey
--------------	-----------

Ordering and shipping details

Category	US10I1122367
-----------------	--------------

Discount Schedule	0I11
--------------------------	------

GTIN	3389110345933
-------------	---------------

Returnability	No
----------------------	----

Country of origin	CZ
--------------------------	----

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Nbr. of units in pkg.	1
------------------------------	---

Package 1 Height	1.42 in (3.600 cm)
-------------------------	--------------------

Package 1 Width	3.27 in (8.300 cm)
------------------------	--------------------

Package 1 Length	3.62 in (9.200 cm)
-------------------------	--------------------

Package weight(Lbs)	3.810 oz (108.000 g)
----------------------------	----------------------

Unit Type of Package 2	S01
-------------------------------	-----

Number of Units in Package 2	16
-------------------------------------	----

Package 2 Height	5.91 in (15.000 cm)
-------------------------	---------------------

Package 2 Width	5.91 in (15.000 cm)
------------------------	---------------------

Package 2 Length	15.75 in (40.000 cm)
-------------------------	----------------------

Package 2 Weight	4.211 lb(US) (1.910 kg)
-------------------------	-------------------------

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

California proposition 65

WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Connections and Schema

GVAU...



Technical Illustration

Assembly's dimensions

