

Product data sheet

Specifications



Cable end, Linergy TR cable ends, twin conductor, grey, 0.75mm², for insulated cable, medium size, 5 sets of 50

AZ5DE007D

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

| | |
|---------------------------|---|
| Range of Product | Linergy |
| Product or Component Type | Cable end |
| Cable end size | Medium |
| Standards | DIN 46228-4 |
| Type of Packing | Dispenser pack |
| Quantity per Set | 5 sets of 100 |
| Cable cross section | 0.001 in ² (0.75 mm ²) |

Complementary

| | |
|------------------------|---------------------------|
| Cable end type | Twin conductor |
| Additional information | Without marker tag holder |
| Color | Blue |
| Bezel material | Halogen-free plastic |
| Tube material | Copper ISO 1337 |
| Number of cables | 2 |
| AWG Gauge | AWG 20 |
| Bezel size | Ø 2.8 x 5 mm |
| Tube diameter | 0.08 in (2 mm) |
| Length | 0.6 in (15 mm) |
| Tube length | 0.3 in (8 mm) |
| Product Weight | 0.29 lb(US) (0.13 kg) |

Environment

| | |
|---------------------------------------|----------------------------|
| Product Certifications | cCSAus |
| Ambient Air Temperature for Operation | -4...221 °F (-20...105 °C) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1000I22621 |
| Discount Schedule | 000I |
| GTIN | 3389110515800 |
| Returnability | No |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------|----|
| Country of origin | DE |
|-------------------|----|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|-----------------------|---|
| Nbr. of units in pkg. | 1 |
|-----------------------|---|

| | |
|------------------|--------------------|
| Package 1 Height | 0.16 in (0.400 cm) |
|------------------|--------------------|

| | |
|-----------------|--------------------|
| Package 1 Width | 0.16 in (0.400 cm) |
|-----------------|--------------------|

| | |
|------------------|--------------------|
| Package 1 Length | 0.55 in (1.400 cm) |
|------------------|--------------------|

| | |
|---------------------|--------------------|
| Package weight(Lbs) | 0.004 oz (0.100 g) |
|---------------------|--------------------|

| | |
|------------------------|-----|
| Unit Type of Package 2 | BB1 |
|------------------------|-----|

| | |
|------------------------------|-----|
| Number of Units in Package 2 | 500 |
|------------------------------|-----|

| | |
|------------------|---------------------|
| Package 2 Height | 5.12 in (13.000 cm) |
|------------------|---------------------|

| | |
|-----------------|--------------------|
| Package 2 Width | 2.76 in (7.000 cm) |
|-----------------|--------------------|

| | |
|------------------|---------------------|
| Package 2 Length | 4.96 in (12.600 cm) |
|------------------|---------------------|

| | |
|------------------|----------------------|
| Package 2 Weight | 4.444 oz (126.000 g) |
|------------------|----------------------|

| | |
|------------------------|-----|
| Unit Type of Package 3 | S02 |
|------------------------|-----|

| | |
|------------------------------|------|
| Number of Units in Package 3 | 5000 |
|------------------------------|------|

| | |
|------------------|---------------------|
| Package 3 Height | 5.91 in (15.000 cm) |
|------------------|---------------------|

| | |
|-----------------|----------------------|
| Package 3 Width | 11.81 in (30.000 cm) |
|-----------------|----------------------|

| | |
|------------------|----------------------|
| Package 3 Length | 15.75 in (40.000 cm) |
|------------------|----------------------|

| | |
|------------------|-------------------------|
| Package 3 Weight | 3.538 lb(US) (1.605 kg) |
|------------------|-------------------------|

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACH Regulation | REACH Declaration |
| Halogen content performance | Halogen free plastic parts product |
| PVC free | Yes |

Use Again

Repack and remanufacture

| | |
|---------------------|---|
| Circularity Profile | End of Life Information |
| Take-back | No |