

Product data sheet

Specifications



Disconnect switch, TeSys VLS, coupling system for 6 to 8 pole switch disconnectors, size 2, 30A to 125A devices

VLS8M2

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Mechanical interlock
Accessory / separate part category	Coupling accessory
Range compatibility	TeSys TeSys VARIO LS VLS3P
Handle colour	Black
Handle front plate colour	Grey
Rotary handle padlocking	1 padlock 0.2 in (4 mm)
Marking	0 - 1

Complementary

Fixing Mode	By clips and screws
Tightening torque	4.4 lbf.in (0.5 N.m)
Height	1.8 in (45 mm)
Width	5.5 in (140 mm)
Depth	1.06 in (27 mm)
Net Weight	0.165 lb(US) (0.075 kg)

Environment

Standards	UL98 CSA C22.2 No 4
Product Certifications	cULus EAC
IP Degree of Protection	IP20

Ordering and shipping details

Category	US10CP121734
Discount Schedule	0CP1
GTIN	3606481156884
Returnability	Yes
Country of origin	IT

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.95 in (7.500 cm)
Package 1 Width	2.09 in (5.300 cm)
Package 1 Length	5.71 in (14.500 cm)
Package weight(Lbs)	4.198 oz (119.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	35
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	10.234 lb(US) (4.642 kg)



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)

Use Again

Repack and remanufacture

Take-back	No
-----------	----