Product data sheet

Specifications

S3D Replacement lock.

NSYAEDLS3DRL

Main

Range	PanelSeT
Product or component type	Locking system

Complementary

Accessory / separate part category	Locking accessory
Accessory / separate part type	Escutcheon lock
Device application	Multi-purpose
Mounting support	Direct mounting on door
Range compatibility	PanelSeT S3D
Device composition	1 shape insert 1 key 1 escutcheon with lock 1 cam
Quantity per set	Set of 1
Product weight	0.05 kg
Lock type	Lock 3 mm double bar
Key number	-

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	5.000 cm
Package 1 Length	4.000 cm
Package 1 Weight	50.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	100
Package 2 Height	20.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.262 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	2000

Package 3 Height	48.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	125.000 kg

Contractual warranty

Warranty	18 months

🌀 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

🍃 Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

☰ Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
SCIP Number	**E893f0a0-d2cc-4011-9425-3873dde70142**
REACh Regulation	**REACh Declaration**

Use Again

↻ Repack and remanufacture

End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative