

Product data sheet

Specifications



power supply module, Harmony iPC, AC for HMIBM

HMIYMMAC1

 **To be discontinued on:** Apr 30, 2029

 **To be discontinued**

Main

Range of product	Harmony iPC
Product or component type	Power supply module
Accessory / separate part category	Electrical accessory

Complementary

Accessory / separate part destination	HMIIBM modular box PC HMIDAD Harmony iPC
Input voltage	100...240 V AC at 47...63 Hz
Output voltage	24 V DC
[In] rated current	4.6 A
Associated fuse rating	3.15 A
Product weight	0.8 kg

Environment

Ambient air temperature for operation	0...50 °C
Product certifications	cULus CSA 60950 ATEX UL 60950 cULus HazLoc Class I Division 2 CSA 22-2 No 213 CE cULus HazLoc Class I Division 2 ANSI/ISA 12-12-01 IEC Ex hazardous locations 3GD zone 2/22

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	23.500 cm
Package 1 Length	32.200 cm
Package 1 Weight	1.322 kg
Unit Type of Package 2	S04
Number of Units in Package 2	3
Package 2 Height	30.000 cm

Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	4.820 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

F-gas free	Only air and vacuum used for insulation / breaking, no F-gas including SF6
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	1d4618f5-6af2-476b-9c12-08aec44ed716
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen-free status	Product contains halogen above thresholds
PVC free	No
Silicone-free	No

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins