

Product data sheet

Specifications



Current limiter,TeSys Deca Frame
2,32A/690V,activation 1.5kA,at top
of GV2ME/GV2P/GV2RT with screw
clamp connections

GV1L3

Main

Range	TeSys
Range of product	TeSys GV2 TeSys Deca
Accessory / separate part category	Protection accessory
Product or component type	Current limiting module
Range compatibility	TeSys GV2 TeSys Deca
Product compatibility	GV2RT GV2ME GV2P GV2L
Function of module	Increasing the breaking capacity of a circuit breaker
Mounting location	On top of the circuit breaker
[Ie] rated operational current	32 A
[Ith] conventional free air thermal current	63 A conforming to IEC 60947-1
Activation threshold	1500 A
Breaking capacity	<= 100 kA depending on protective device
[Ue] rated operational voltage	690 V AC 50/60 Hz
[Ui] rated insulation voltage	690 V AC 50/60 Hz conforming to IEC 60947-1

Complementary

Connections - terminals	Screw clamp terminals 1 x 1.5...25 mm ² rigid Screw clamp terminals 2 x 1.5...10 mm ² rigid Screw clamp terminals 1 x 1.5...25 mm ² flexible without cable end Screw clamp terminals 2 x 1.5...10 mm ² flexible without cable end Screw clamp terminals 1 x 1.5...16 mm ² flexible with cable end Screw clamp terminals 2 x 1.5...4 mm ² flexible with cable end
Tightening torque	2.2 N.m
Product weight	0.13 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	5.0 cm
Package 1 Length	8.0 cm

Package 1 Weight	122.0 g
Unit Type of Package 2	S01
Number of Units in Package 2	24
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.104 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint

42

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

California proposition 65

WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](#)

Use Again

Repack and remanufacture

Take-back

No

WEEE Label

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Connections and Schema

Current Limiter

GV1L3

