

Product data sheet

Specifications



Plug outlet, Linergy HK, 3P, 16A, 2 points, 2.5mm², cable length 200

AK5PC13

Main

Range	Linergy
Product name	HK
Product or component type	Plug outlet
Poles description	3P
[Ith] conventional free air thermal current	16 A
I ² t on activation	100000 A².s
Number of points	2
Number of cables	3 cable(s) 2.5 mm²
Cable length	0.2 m
Quantity per set	Set of 6

Complementary

[Ui] rated insulation voltage	600 V conforming to CSA 600 V conforming to UL 690 V conforming to IEC 60439-1
Peak current	25 kA
Width	36 mm
Height	46 mm
Depth	38 mm
Product weight	0.04 kg

Environment

Standards	IEC 60439
Product certifications	DNV LROS (Lloyds register of shipping) UL CSA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	9.000 cm
Package 1 Length	12.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	44.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	12.700 cm
Package 2 Width	13.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	323.000 g
Unit Type of Package 3	S04
Number of Units in Package 3	96
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	5.937 kg

Contractual warranty

Warranty	18 months
----------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins