

Product data sheet

Specifications



ClimaSys PTC heating resistance 350-500W, 230V insulate thermoventilator

NSYCRP1W230VTVC

Main

Range	ClimaSys
Product name	ClimaSys CR
Product or component type	Resistance heater with fan and thermostat
Power range	350 W 500 W
Input voltage	230 V AC 50/60 Hz
Electrical connection	2 screw terminals 2.5 mm ²

Complementary

Operating position	Vertical
Ambient air temperature for operation	-40...70 °C
Temperature setting range	0...60 °C
IP degree of protection	IP20
Product certifications	UL VDE
Height	150 mm
Width	155 mm
Depth	215 mm
Condition of use	Air sealed enclosure Electrical protection is needed
fixing mode	By clips
Mounting support	35 mm DIN rail

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.500 cm
Package 1 Width	17.000 cm
Package 1 Length	21.000 cm
Package 1 Weight	1.026 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	34.500 cm

Package 2 Width	41.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	11.592 kg
Unit Type of Package 3	P12
Number of Units in Package 3	200
Package 3 Height	189.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	242.840 kg

Contractual warranty

Coverage	Core product
Warranty	18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	60bb7229-9ac3-41cb-896e-a93aa448ebf8
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins