

Product data sheet

Specifications



Door stay for PanelSeT WM enclosure encl. Mounted on encl. with a height >400

NSYAEDRSCST

Main

Range	PanelSeT
Product or component type	Door retainer
Application	Multi-purpose
Nominal dimensions of the housing	-
Mounting location	Door and enclosure
Range compatibility	PanelSeT CRNG version PanelSeT enclosures with a height from 400 mm and widths from 300mm PanelSeT S3D, CRN enclosures PanelSeT S3X enclosures
Device composition	Fixing elements 1 x retainer

Complementary

Material	Steel
Fixing mode	By fixing element - on enclosure body location
Operating angle	110 °
Opening mechanism	Mechanical

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	8.000 cm
Package 1 Length	3.000 cm
Package 1 Weight	203.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	40.000 cm
Package 2 Width	30.000 cm
Package 2 Length	20.000 cm
Package 2 Weight	10.516 kg
Unit Type of Package 3	P12
Number of Units in Package 3	200

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	50.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	53.000 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

