

Product data sheet

Specifications



module Profibus DP - SUBD-9 connector

VW3E704000000

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	Modicon LMC078
Product or Component Type	Profibus DP communication module
Range Compatibility	Modicon LMC078
Product Compatibility	Motion controller

Complementary

Physical interface	RS485
Method of access	Master/slave
Integrated connection type	Profibus DP - 1 female SUB-D 9 12 Mbit/s

Environment

Standards	UL 508 EN/IEC 61131-2 zone B CSA C22.2 No 142
Product Certifications	cULus CSA CE
Marking	CE
Ambient Air Temperature for Operation	41...131 °F (5...55 °C)
Ambient Air Temperature for Storage	-13...158 °F (-25...70 °C)
Relative Humidity	5...95 % without condensation
IP degree of protection	IP20IEC 61131-2
Pollution degree	2
Operating altitude	0...6561.68 ft (0...2000 m)
Vibration resistance	10 m/s² direct mounting
Shock resistance	100 m/s²

Ordering and shipping details

Category	US1PC5218350
Discount Schedule	PC52
GTIN	3606485306940
Returnability	Yes
Country of origin	FR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.46 in (3.700 cm)
Package 1 Width	3.27 in (8.300 cm)
Package 1 Length	4.41 in (11.200 cm)
Package weight(Lbs)	3.668 oz (104.000 g)
Unit Type of Package 2	S01
Number of Units in Package 2	12
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	5.91 in (15.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	3.166 lb(US) (1.436 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov

Use Again

 Repack and remanufacture	
Take-back	No