



Quality Products. Service Excellence.

## Type 1 Mild Steel Component Case 1416 Series

Ventilated Cover with Screws



### Application

- Designed to provide mechanical protection for components requiring ventilation.
- Suitable for use where heat dissipation is required.

### Standards

- Complies with
  - NEMA Type 1

### Construction

- Base is formed from 16 gauge steel with two 0.5"/0.75" conduit knockouts located in each end.
- Four .125" high raised dimples with mounting holes are provided on the base.
- Cover is formed from 18 gauge steel with 0.235" x 1.5" ventilating slots (0.199" x 1.12" on E & G only).
- Screw holes and offsets in the cover allow easy assembly.



### Finish

- Base and cover are finished in ANSI 61 gray powder coating.

| Part No. | Enclosure |       |       |
|----------|-----------|-------|-------|
|          | H         | W     | D     |
| 1416E    | 6.00      | 4.00  | 4.00  |
| 1416G    | 10.00     | 4.00  | 4.00  |
| 1416I    | 10.00     | 6.00  | 6.00  |
| 1416K    | 11.00     | 7.00  | 7.00  |
| 1416M    | 12.00     | 8.00  | 8.00  |
| 1416O    | 15.00     | 10.00 | 8.00  |
| 1416Q    | 20.00     | 10.00 | 8.00  |
| 1416T    | 20.00     | 10.00 | 10.00 |

Tags: **1416, ventilated, steel, vents, knockout, conduit, NEMA 1, Type 1, component, instrument**

*Data subject to change without notice*

© 2026. Hammond Manufacturing Ltd. All rights reserved.