



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	10SEP2023	J.S	Z.Z
	A1	ECN-24-290823	29OCT2024	J.S	Z.Z
	A2	ECN-25-359904	13MAR2026	J.S	C.W





NOTE:

- 1. THIS REC HSG ASSEMBLY MATES WITH PLUG ASSEMBLY PN 2455359-X (X=1, 2, 3, 4 FOR VARIOUS CODE).
- 2. FOR FLANGE VERSION. NEED MATE WITH FIX RING PN 2366517-X.SEE DRAWING 2366517 FOR APPLICABLE WALL THICKNESS.
- 3. DATE CODE: INDENTIFIES THE YEAR, MONTH, DAY AND HOUR OF ASSEMBLY.
YEAR: FIRST AND SECOND DIGITS(21=2021)
MONTH: THIRD DIGIT , EXCLUDING 1 , A=JAN, B=FEB, C=MARCH...(M=DECEMBER)
DAY: FOURTH AND FIFTH DIGITS(14=14th DAY)
HOUR: SIXTH AND SEVENTH DIGITS(11=11AM)
- 4. IDENTIFICATION FOR CABLE PINOUT.
- 5. TPA SEATED ON PRE-LOCK POSITION FOR DELIVERY.
- 6. PULL TPA TO PRE-LOCK BEFORE TERMINAL INSERTION IN CASE OF TPA BEING HIT TO END-LOCK POSITION.
- 7. REFER TO 114-151000/114-151001 FOR DT SIZE 16 TERMINAL APPLICATION SPECIFICATION.
APPLICABLE TERMINAL PART NUMBERS AND WIRE SIZE:

TERMINAL PN	WIRE SIZE (MM2)	INSULATION WIRE (MM)	PINOUT NUMBER
16#	0.75-2.5	∅1.7-∅3.0	ALL

- 8. FOR FLANGE VERSION THE FACIAL SEAL SEATED IN THE RIGHG POSITION WITH CORRECT DIRECTION.
- 9. LASER PRODUCT PN. SUCH AS "--1"MEANS 2455360-1, "1--1" MEANS 1-2455360-1.



1	-	-	-	BLUE	PBT-GF30	REAR CAP	4	
-	1	-	-	GREEN				
-	-	1	-	GREY				
-	-	-	1	BLACK	VMQ	FAMILY SEAL	3	
1	1	1	1	RUST RED				
-	1	-	-	BLUE	PBT-GF30	HOUSING CODING D	2	
-	-	-	-	GREEN				HOUSING CODING C
-	-	1	-	GREY				HOUSING CODING B
-	-	-	1	BLACK				HOUSING CODING A
1	1	1	1	YELLOW	PBT-GF30	TPA	1	
QTY. REQUEST PER ASSY				COLOR	MATERIAL	DESCRIPTION	ITEM NO	
A	A	A	A	REVISION OF EACH ASSY PN				
--4	--3	--2	--1	TE ASSEMBLY PN				





THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±
	FINISH -

DWN J.SHANG 10SEP2023
 CHK C.WAN 10SEP2023
 APVD Z.ZHOU 10SEP2023
 PRODUCT SPEC 108-101662
 APPLICATION SPEC 114-32209
 WEIGHT -
 CUSTOMER DRAWING



STE TE Connectivity
 NAME NTS 38P REC HSG ASSEMBLY
 SIZE A2 CAGE CODE 00779 DRAWING NO C-2455360 RESTRICTED TO -
 SCALE 2:1 SHEET 1 OF 2 REV A2

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



10. FOR FLANGE VERSION 1-2455360-1/2/3/4, THE RECOMMENDED FIX RING AND PANEL CUTOUT DIMENSIONS REFER TO C-DRAWING 2366517.

4.0	2366517-4
3.5	2366517-3
3.0	2366517-2
1.5	2366517-1
WALL THICKNESS DIM A(MM)	PN OF FIX RING



QTY.	REQUEST	PER	ASSY	COLOR	MATERIAL	DESCRIPTION	ITEM NO
1	1	1	1	RUST RED	VMQ	FACIAL SEAL	5
1	-	-	-	BLUE	PBT-GF30	REAR CAP	4
-	1	-	-	GREEN			
-	-	1	-	GREY			
-	-	-	1	BLACK			
1	1	1	1	RUST RED	VMQ	GROMMET	3
1	-	-	-	BLUE	PBT-GF30	HOUSING CODING D	2
-	1	-	-	GREEN		HOUSING CODING C	
-	-	1	-	GREY		HOUSING CODING B	
-	-	-	1	BLACK		HOUSING CODING A	
1	1	1	1	YELLOW	PBT-GF30	TPA	1
QTY. REQUEST PER ASSY				COLOR	MATERIAL	DESCRIPTION	ITEM NO
1--4	1--3	1--2	1--1	REVISION OF EACH ASSY PN			
TE ASSEMBLY PN							

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ±
	1 PLC ±
	2 PLC ±
	3 PLC ±
	4 PLC ±
	ANGLES ±
MATERIAL	FINISH -

DWN	J. SHANG	10SEP2023		TE Connectivity NTS 38P REC HSG ASSEMBLY
CHK	C. WAN	10SEP2023		
APVD	Z. ZHOU	10SEP2023		
PRODUCT SPEC	108-101662			
APPLICATION SPEC	114-32209		SIZE	A2
WEIGHT	-		CAGE CODE	00779
CUSTOMER DRAWING			DRAWING NO	C-2455360
			RESTRICTED TO	-
			SCALE	1:1
			SHEET	2 OF 2
			REV	A2