





COMMENT:
ALL RIGHTS ARE RESERVED BY US FOR THIS DRAWING. WITHOUT OUR PRIOR CONSENT,
IT MAY NEITHER BE DUPLICATED NOR MADE AVAILABLE TO A THIRD PARTY.
AND IT ALSO MAY NOT BE IMPROPERLY USED BY THE RECEIVER, OR A THIRD PARTY.



*) y for series FU or FL

Material Number	y *)
1731070397	U
1731070170	L

RoHS compliant
by exemption


Technical data for standard (FU)
Crimp contacts FK20P (AWG 20-24/1.3µm Au) included in delivery

3	1	Shell	Steel	tin plated
2	1	Insulator rear part	PEI (-55°C to +130°C) acc. UL94V-0	green
1	1	Insulator front part	PBT acc. UL94V-0	green
No.	St.	Part	Type Description/Material	Surface plating/Colour/Class

RoHS compliant

Technical data for standard (FL)
Crimp contacts not supplied with connector. Contacts must be ordered separately.

3	1	Shell	Steel	tin plated
2	1	Insulator rear part	PA (-55°C to +115°C) acc. UL94V-0	black
1	1	Insulator front part	PBT acc. UL94V-0	black
No.	St.	Part	Type Description/Material	Surface plating/Colour/Class

FUNCTIONAL SYMBOLS <div>▽ = 0</div> <div>▽ = 0</div> <div>▽ = 0</div>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS mm		SCALE 2:1		MEASUREMENTS WITHOUT TOLERANCE ACC. TO ISO 2768-m			molex			
					CURRENT REVISION			FCT D-Sub Crimp Connector			
					DRWN: DRAWN BY wpan05 11-02-2019						
					APPR: APPR BY msteinbrueck 12-02-2019						
					INITIAL REVISION			PRODUCT CUSTOMER DRAWING			
	2 24130				DRWN: DRAWN BY ADenzinger 24-01-2007			MATERIAL NUMBER		REVISION	
	1 21782				APPR: APPR BY SKusber 29-01-2007			see table		2	
	REV. CH.-NO.										
REPLACEMENT FOR:		FRIST ANGLE PROJECTION 		DRAWING A3-SIZE			DOCUMENT NUMBER Fy7W2P7-K120		CUSTOMER GENERAL MARKET		SHEET NUMBER 1 OF 1