

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The redundancy set consists of two QUINT-PS/1AC/24DC/10 power supplies combined with the active QUINT-ORING/24DC/2X10/1X20 redundancy module, so as to guarantee maximum availability of your system.

Commercial data

Item number	2906298
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	CMPQ13
GTIN	4055626065533
Weight per piece (including packing)	3,724 g
Weight per piece (excluding packing)	2,600 g
Country of origin	TH

Technical data

Product properties

Product type	Power supply
--------------	--------------

Mounting

With protective coating	yes
-------------------------	-----

Material specifications

Housing material	Metal
------------------	-------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP20
----------------------	------

Classifications

ECLASS

ECLASS-13.0	27371392
-------------	----------

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121100
-------------	----------

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	7(a), 7(c)-I

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	d9dedddda-e6be-4fff-a561-8d64ab2fa435

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com