

# FUSE/TE5/160MA/F-10PCS - Fuse set



2907188

<https://www.phoenixcontact.com/us/products/2907188>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Plug-in fuse (TE5®); nominal current: 160 mA; tripping behavior: fast-blow (F)



## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 2907188       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 10 pc         |
| Sales key                            | C421          |
| Product key                          | DK2BZA        |
| GTIN                                 | 4055626297477 |
| Weight per piece (including packing) | 4.4 g         |
| Weight per piece (excluding packing) | 4.4 g         |
| Customs tariff number                | 85361010      |
| Country of origin                    | CN            |

# FUSE/TE5/160MA/F-10PCS - Fuse set

2907188

<https://www.phoenixcontact.com/us/products/2907188>



## Technical data

### Notes

|                    |  |
|--------------------|--|
| Notes on operation | For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met. |
|--------------------|--|

### Product properties

|                            |      |
|----------------------------|------|
| Product type               | Fuse |
| Number of fuses in the set | 10   |

### Electrical properties

|   |               |
|---|---------------|
| Tripping characteristic                         | fast-blow (F) |
| Rated voltage                                   | 250 V         |
| Maximum power dissipation for nominal condition | 0.15 W        |
| Nominal current $I_N$                           | 160 mA        |
| Fuse  | TE5           |

# FUSE/TE5/160MA/F-10PCS - Fuse set

2907188

<https://www.phoenixcontact.com/us/products/2907188>



## Approvals

ⓘ To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2907188>



**EAC**

Approval ID: RU C-DE.BL08.B.00724

# FUSE/TE5/160MA/F-10PCS - Fuse set

2907188

<https://www.phoenixcontact.com/us/products/2907188>



## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27142008 |
| ECLASS-15.0 | 27142008 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002298 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121600 |
|-------------|----------|

# FUSE/TE5/160MA/F-10PCS - Fuse set

2907188

<https://www.phoenixcontact.com/us/products/2907188>



## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

[info@phoenixcon.com](mailto:info@phoenixcon.com)