

FBSC - Protective cap



3012325

<https://www.phoenixcontact.com/us/products/3012325>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Covering hood, provides reliable shock protection when using cut-to-length FBS ...-5 and FBS ...-6 bridges, color: red

Commercial data

| | |
|--------------------------------------|---------------|
| Item number | 3012325 |
| Packing unit | 50 pc |
| Minimum order quantity | 50 pc |
| Sales key | BE19 |
| Product key | BE1ZWX |
| GTIN | 4046356813310 |
| Weight per piece (including packing) | 0.232 g |
| Weight per piece (excluding packing) | 0.217 g |
| Customs tariff number | 39269097 |
| Country of origin | PL |

FBSC - Protective cap

3012325

<https://www.phoenixcontact.com/us/products/3012325>



Technical data

Product properties

| | |
|--------------|----------------|
| Product type | Protective cap |
|--------------|----------------|

Material specifications

| | |
|--|----------------|
| Color | red (RAL 3001) |
| Material | PA |
| Flammability rating according to UL 94 | V0 |

Environmental and real-life conditions

Ambient conditions

| | |
|--|---|
| Ambient temperature (operation) | -60 °C ... 85 °C |
| Ambient temperature (storage/transport) | -25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C) |
| Ambient temperature (assembly) | -5 °C ... 70 °C |
| Ambient temperature (actuation) | -5 °C ... 70 °C |
| Permissible humidity (storage/transport) | 30 % ... 70 % |

FBSC - Protective cap

3012325

<https://www.phoenixcontact.com/us/products/3012325>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 27141190 |
| ECLASS-15.0 | 27141190 |

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC004591 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

Environmental product compliance

| | |
|---|--|
| EU RoHS | |
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-E |
| | No hazardous substances above the limits |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
| EF3.0 Climate Change | |
| CO2e kg | 0.009 kg CO2e |