

S-MT - Switching lock



3247954

<https://www.phoenixcontact.com/us/products/3247954>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Switching lock, depth: 23.1 mm, width: 3.5 mm, height: 10.5 mm, color: white



Your advantages

- Can be used in all ...-MT knife disconnect terminal blocks from the CLIPLINE complete system
- The optional switching lock snaps in and effectively prevents unintentional switching

Commercial data

Item number	3247954
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE19
Product key	BE1ZWX
GTIN	4046356587471
Weight per piece (including packing)	0.495 g
Weight per piece (excluding packing)	0.402 g
Customs tariff number	85389099
Country of origin	CN

S-MT - Switching lock

3247954

<https://www.phoenixcontact.com/us/products/3247954>



Technical data

Product properties

Product type	Switching lock
--------------	----------------

Dimensions

Width	3.5 mm
Height	10.5 mm
Depth	23.1 mm

Material specifications

Color	white (RAL 9010)
Material	PA
Flammability rating according to UL 94	V2
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

S-MT - Switching lock

3247954

<https://www.phoenixcontact.com/us/products/3247954>



Classifications

ECLASS

ECLASS-13.0	27250392
ECLASS-15.0	27250392

ETIM

ETIM 9.0	EC002848
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

S-MT - Switching lock

3247954

<https://www.phoenixcontact.com/us/products/3247954>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

EF3.0 Climate Change

CO2e kg	0.011 kg CO2e
---------	---------------

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com