

ST-BW - Actuation tool

1207608

<https://www.phoenixcontact.com/us/products/1207608>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Actuation tool, for all 2.5 mm² - 4.0 mm² spring-cages



Your advantages

- In addition to its standard application, this screwdriver is also ideal for actuating ST ... and QTC ... modular terminal blocks

Commercial data

Item number	1207608
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3172
GTIN	4017918899332
Weight per piece (including packing)	34.23 g
Weight per piece (excluding packing)	33.59 g
Customs tariff number	82054000
Country of origin	CZ

ST-BW - Actuation tool

1207608

<https://www.phoenixcontact.com/us/products/1207608>



Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Screwdriver tools
--------------	-------------------

Connection data

Output	Bladed
--------	--------

Dimensions

Blade width	3.5 mm
Blade height	81 mm
Length	160 mm
Blade thickness	0.6 mm

ST-BW - Actuation tool

1207608

<https://www.phoenixcontact.com/us/products/1207608>



Classifications

ECLASS

ECLASS-13.0	21045190
ECLASS-15.0	21045190

ETIM

ETIM 9.0	EC011822
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

ST-BW - Actuation tool

1207608

<https://www.phoenixcontact.com/us/products/1207608>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements

Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE

EU REACH SVHC

REACH candidate substance (CAS No.)

No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com