

# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614

<https://www.phoenixcontact.com/us/products/5606614>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Directional antenna, 868 MHz/900 MHz, gain: 12.15 dBi, polarization: linear, opening angle: h/v 56°/46°, degree of protection: IP65, connection: N (female), including mounting bracket and mast clamps



## Your advantages

- For point-to-point connections
- For large distances

## Commercial data

Item number	5606614
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNC6A3
GTIN	4046356686419
Weight per piece (including packing)	1.7 g
Weight per piece (excluding packing)	1,208 g
Customs tariff number	85177100
Country of origin	US

# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614

<https://www.phoenixcontact.com/us/products/5606614>



## Technical data

### Notes

Note on application

Note on application

Only for industrial use

### Product properties

Product type	Antenna
Gain	12.15 dBi
Vertical beamwidth	46 °
Horizontal beamwidth	56 °
Polarization	Linear vertical or horizontal

### Electrical properties

Frequency band	900 MHz
Frequency range	868 MHz ... 960 MHz
Impedance	50 Ω
Maximum capacity	200.00 W
Voltage standing wave ratio VSWR in a 50 Ω system	≤ 1.50

### Connection data

Connection technology

Connection method	N (female) with cable (0.6 m)
Outside diameter	32 mm ... 60 mm (Mast)

### Dimensions

Width	60.5 mm
Height	172 mm
Length	609.6 mm

External dimensions

Outside diameter	32 mm ... 60 mm (Mast)
------------------	------------------------

### Material specifications

Material	Aluminum
	V2A
	V2A

### Cable/line

Cable length	0.60 m
Connecting cable	yes

### Environmental and real-life conditions

# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614

<https://www.phoenixcontact.com/us/products/5606614>



## Ambient conditions

Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 80 °C
Wind velocity	240 km/h

## Mounting

Mounting type	Mast mounting
---------------	---------------

# RAD-ISM-900-ANT-YAGI-10-N - Antenna


5606614

<https://www.phoenixcontact.com/us/products/5606614>



## Drawings

Schematic diagram



Mast mounting


# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614


<https://www.phoenixcontact.com/us/products/5606614>



Schematic diagram



Schematic diagram



# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614

<https://www.phoenixcontact.com/us/products/5606614>



## Classifications

### ECLASS

ECLASS-13.0	19070105
ECLASS-15.0	19070105

### ETIM

ETIM 9.0	EC001698
----------	----------

### UNSPSC

UNSPSC 21.0	43223100
-------------	----------

# RAD-ISM-900-ANT-YAGI-10-N - Antenna

5606614

<https://www.phoenixcontact.com/us/products/5606614>



## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

### China RoHS

Environment friendly use period (EFUP)	EFUP-50
An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.	

### EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	06b83fe4-056e-4bb5-8090-886cd2b31d19

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

### Phoenix Contact USA

586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)