

ES-SSMK-GB 60X18 CUS - Insert strip



0824408

<https://www.phoenixcontact.com/us/products/0824408>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Insert strip, can be ordered: in sheets, transparent/white, labeled according to customer specifications, mounting type: insert, text field height: 56 mm, text field width: 14 mm



Commercial data

Item number	0824408
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8144
GTIN	4046356352796
Weight per piece (including packing)	10 g
Weight per piece (excluding packing)	9 g
Country of origin	PL

ES-SSMK-GB 60X18 CUS - Insert strip



0824408

<https://www.phoenixcontact.com/us/products/0824408>

Technical data

Product properties

Product type	Gerätemarker
--------------	--------------

Marking

Identification technology	Plotter
---------------------------	---------

Dimensions

Width	56.00 mm
Height	14.00 mm
Depth	0.15 mm
Length	18 mm

Material specifications

Color	multicolored (RAL -)
	white (RAL 9010)
	transparent
Flammability rating according to UL 94	V2
Base element material	PC
Components	free from silicone and halogen

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

Mounting

Mounting type	insert
---------------	--------

ES-SSMK-GB 60X18 CUS - Insert strip



0824408

<https://www.phoenixcontact.com/us/products/0824408>

Classifications

ECLASS

ECLASS-13.0	27281106
ECLASS-15.0	27281106

ETIM

ETIM 9.0	EC001288
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

ES-SSMK-GB 60X18 CUS - Insert strip



0824408

<https://www.phoenixcontact.com/us/products/0824408>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com