

# GPK/SK296X200X0.8 RD/WH - Engraving plate



0826834

<https://www.phoenixcontact.com/us/products/0826834>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



## Commercial data

Item number	0826834
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG19
Product key	BG2415
GTIN	4046356362429
Weight per piece (including packing)	64.27 g
Weight per piece (excluding packing)	58.94 g
Customs tariff number	39203000
Country of origin	DE

# GPK/SK296X200X0.8 RD/WH - Engraving plate



0826834

<https://www.phoenixcontact.com/us/products/0826834>

## Technical data

### Product properties

Product type	Gerätemarker
--------------	--------------

### Marking

Number of individual labels	1
-----------------------------	---

### Dimensions

Width	296.00 mm
Height	200.00 mm
Depth	0.93 mm

### Material specifications

Adhesive strength	50 µm
Adhesive	Acrylic
Color	multicolored
	red (RAL 3001)
	white (RAL 9010)
Material	TRANSPLY-ABS

### Environmental and real-life conditions

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

#### Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07
---------------	-------------------------------------

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended storage conditions	20°C/50% relative humidity. Storage in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	20 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	12 months

### Mounting

Mounting type	adhesive
---------------	----------

# GPK/SK296X200X0.8 RD/WH - Engraving plate



0826834

<https://www.phoenixcontact.com/us/products/0826834>

## Classifications

### ECLASS

ECLASS-13.0	27281103
ECLASS-15.0	27281103

### ETIM

ETIM 9.0	EC001288
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# GPK/SK296X200X0.8 RD/WH - Engraving plate



0826834  
<https://www.phoenixcontact.com/us/products/0826834>

## Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)