

Datasheet

RFID Patch Antenna

915Mhz



49.5 x 49.5 x 7.5 mm

RFID Antenna

The patch antenna can operate at 915 MHz, reaching high efficiency-56% while takes tiny space on board, making it perfect choice for RFID application.

Applications:

- Remote instrument
- LPWAN system
- Logistic item tracking
- Payment remote tool
- Vehicle access control system



Electrical Specifications

Antenna Characteristics By Range Of Receiving Frequency

Frequency (MHz)	915 ± 3
Return Loss (dB) @Center Frequency	< -10.9
Gain (dBi) @Zenith	-0.35 Typ.
Average Gain (dB) @Center Frequency	-2.5
Efficiency (%) @Center Frequency	56
Axial Ration (dB) @Zenith	3 Typ.
Polarization	RHCP
Impedance (Ω)	50

Mechanical Specifications

Mechanical


Ceramic Dimension (mm)	47.5 x 47.5 x 6.5
Total Dimension w/o Cable (mm)	49.5 x 49.5 x 7.5
Connector Type	I-PEX MHF 1
Cable Type	Coaxial Cable Ø 1.13
Weight (g)	49.1

Environmental


Temperature Range (°C)	-40 to 105
Humidity	Non-condensing 40°C 95% RH
	RoHS Compliant

Mechanical Drawing

Unit : mm




Charts In Free Space




ST0684-11-402-U

Test setup, measurement performed in 3D anechoic chamber.




Blue background represents frequency response.




Radiation Pattern - Free Space


XY - Plane



YZ - Plane



XZ - Plane



Revisions

Rev.	Description	Date	ECN	Approval
A	Initial Release	2023-05-18	ST0684-11-402-U-RA00	ATC

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.