

product description	XR-300 media module
	SCALANCE X accessory; Media module MM992-2SFP; with Conformal Coating; 2x 100/1000 Mbit/s for SFP Plug-in transceiver.



Technical Product Detail Page	https://i.siemens.com/1P6GK5992-2AS00-8FA0
interfaces	
number of electrical/optical connections / for network components or terminal equipment / maximum	2
number of electrical connections	
• for SFP / plug-in	2
ambient conditions	
ambient temperature	
• during operation	-40 ... +70 °C
• during storage	-40 ... +85 °C
• during transport	-40 ... +85 °C
relative humidity / at 25 °C / without condensation / during operation / maximum	95 %
protection class IP	IP20
design, dimensions and weights	
design	Media module
width	60 mm
height	22 mm
depth	100 mm
net weight	0.08 kg
product feature / conformal coating	Yes
fastening method	latched
• installation in media module slot	Yes
standards, specifications, approvals	
standard	
• for FM	FM3611: Class 1, Divison 2, Group A, B, C, D / T4, Class 1, Zone 2, Group IIC, T4
• for hazardous zone	EN 60079-0: 2006, EN60079-15: 2005, II 3 G Ex nA II T4, KEMA 07 ATEX 0145 X
• for safety / from CSA and UL	UL 60950-1, CSA C22.2 No. 60950-1
• for hazardous zone / from CSA and UL	UL 1604 and UL 2279-15 (Hazardous Location), CSA C22.2 No. 213-M1987, Class 1 / Division 2 / Group A, B, C, D / T4, Class 1 / Zone 2 / Group IIC / T4
• for emitted interference	EN 61000-6-4:2007 (Class A)
• for interference immunity	EN 61000-6-2:2005
certificate of suitability	EN 61000-6-2:2005, EN 61000-6-4:2007
• CE marking	Yes
• C-Tick	Yes
• KC approval	Yes
• CCC / for hazardous zone according to GB standard	Yes; GB3836.1, GB3836.8

<ul style="list-style-type: none">• CCC / for hazardous zone according to GB standard / as marking	Ex nA IIC T4 Gc				
MTBF	250 a				
standards, specifications, approvals / Environmental Product Declaration					
Environmental Product Declaration	Yes				
global warming potential [CO2 eq]					
<ul style="list-style-type: none">• total• during manufacturing• during operation• after end of life	<div>23.98 kg</div> <div>10.1 kg</div> <div>13.78 kg</div> <div>0.1 kg</div>				
further information / internet links					
internet link					
<ul style="list-style-type: none">• to website: Selection guide for cables and connectors• to web page: selection aid TIA Selection Tool• to website: Industrial communication• to web page: SiePortal• to website: Image database• to website: CAX-Download-Manager• to website: Industry Online Support	<div>https://support.industry.siemens.com/cs/ww/en/view/109766358</div> <div>https://www.siemens.com/tstcloud</div> <div>https://www.siemens.com/simatic-net</div> <div>https://sieportal.siemens.com/</div> <div>https://www.automation.siemens.com/bilddb</div> <div>https://www.siemens.com/cax</div> <div>https://support.industry.siemens.com</div>				
security information					
security information	<p>Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)</p>				
Approvals / Certificates					
General Product Approval					
For use in hazardous locations					
<div><div>EG-Konf.</div></div>	<div>Declaration of Conformity</div>	<div></div>	<div>China RoHS</div>	<div><div>RCM</div></div>	<div><div>ATEX</div></div>
For use in hazardous locations		Environment			
<div><div>IECEx</div></div>	<div>EM</div>	<div>CCC-Ex</div>	<div></div>		

last modified:

11/14/2025 