

product type designation

MM992-4CUC

SCALANCE X accessory; Media module MM992-4CUC; 4x 1000 Mbit/s RJ45 ports, electrical; with securing collar.



product brand name

SCALANCE

Technical Product Detail Page

<https://l.siemens.com/1P6GK5992-4GA00-8AA0>

interfaces

number of electrical/optical connections / for network components or terminal equipment / maximum

4

number of electrical connections

- for network components or terminal equipment / maximum

4

number of 10/100/1000 Mbit/s RJ45 ports

4

type of electrical connection

- for network components or terminal equipment

RJ45

ambient conditions

ambient temperature

- during operation
- during storage
- during transport

0 ... 60 °C

-40 ... +85 °C

-40 ... +85 °C

relative humidity / at 25 °C / without condensation / during operation / maximum

95 %

protection class IP

IP20

design, dimensions and weights

design

Media module

width

120.3 mm

height

22.3 mm

depth

275.5 mm

net weight

0.3 kg

fastening method

latched

- installation in media module slot

Yes

standards, specifications, approvals

standard

- for safety / from CSA and UL
- for emitted interference
- for interference immunity

UL 60950-1, CSA C22.2 No. 60950-1

EN 61000-6-4 (Class A)

EN 61000-6-2

certificate of suitability

EN 61000-6-2:2005, EN 61000-6-4:2007

- CE marking

Yes

- C-Tick

Yes

- KC approval

Yes

- CCC / for hazardous zone according to GB standard

Yes; GB3836.1, GB3836.8

- CCC / for hazardous zone according to GB standard / as marking

Ex nA IIC T4 Gc

E1 approval	No
Marine classification association	
French marine classification society (BV)	Yes
standards, specifications, approvals / Environmental Product Declaration	
Environmental Product Declaration	Yes
global warming potential [CO2 eq]	
total	102.09999 kg
during manufacturing	10.1 kg
during operation	91.9 kg
after end of life	0.1 kg
further information / internet links	
internet link	
- to website: Selection guide for cables and connectors - to web page: selection aid TIA Selection Tool - to website: Industrial communication - to web page: SiePortal - to website: Image database - to website: CAX-Download-Manager - to website: Industry Online Support	https://support.industry.siemens.com/cs/ww/en/view/109766358 https://www.siemens.com/tstcloud https://www.siemens.com/simatic-net https://sieportal.siemens.com/ https://www.automation.siemens.com/bilddb https://www.siemens.com/cax https://support.industry.siemens.com
security information	
security information	Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement - and continuously maintain - a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)
Approvals / Certificates	
General Product Approval	
 EG-Konf.	Declaration of Conformity
 CCC	
	China RoHS
	 RCM
General Product Approval	
 EG-Konf.	China RoHS
	
	 ATEX
	 IECEx
For use in hazardous locations	
FM	CCC-Ex
 ABS	 BUREAU VERITAS
	 DNV
	 LRS
Maritime application	
Environment	

[NK / Nippon Kaiji Ky-
okai](#)



last modified:

5/9/2026 