

The product advantages



BOS Streamline is an ergonomically-shaped hand-held enclosure which, on request, can be provided with a high level of ingress protection.



All enclosures have a recessed membrane keypad surface. In addition, five sizes are fitted with a display screen.



Turning the lid by 180° against the base allows the easy forming of console variants.



Optional decor seal ensures a high level of protection. Protects the enclosure if it is dropped. Offers colour design options.



Variants with an integrated battery compartment are available.



Quick-Finder:
www.bopla.de/82

Examples of use





BOPLA

A Phoenix Mecano Company

BOS-Streamline



Colour:

● Graphite grey, similar to RAL 7024

● Light grey, similar to RAL 7035

Special colours on request

Protection class:

Depending on the model up to

IP65 / DIN EN 60529

Material:

Enclosure: ABS


Decor seals: TPE

For details see technical information.




Enclosure sizes


BS 2...




BS 4...




BS 5...




BS 6...




BS 7...




BS 8...




Design types



Flat version




Console version




Decor seal options for protection class IP65

BS.02




BS.04 + seal battery compartment




Seal to achieve the higher protection

BS.00



BS.03 + seal battery compartment




**BOPLA**


A Phoenix Mecano Company

BOS-Streamline


Battery compartment



Enclosure size BS 4... and BS 5...:
Battery compartment designed for 3x Micro AAA



Enclosure size BS 6...:
Battery compartment designed for 3x Micro AA



Enclosure size BS 7... and BS 8...:
Battery compartment designed for 4x Mignon AA

Dimensions

Model	A	B	C
BS 2...	79.4	44.1	22.2
BS 4...	119.3	64.9	26.5
BS 5...	140.3	72.9	31.3
BS 6...	159.4	77.9	33.5
BS 7...	184.3	93	35.4
BS 8...	209.3	98	34.8

Accessories



Decor seals



Screw covers for enclosure screws



Lanyard loop



Universal clip

BOS-Streamline

With membrane keypad area

BS 200 F, IP 40 (IP 54), with loop for attaching lanyard



Model	Order no.	A	B	C	IP	Colour
BS 200 F-7024	82200124	79.4	44.1	22.2	40	Graphite grey
BS 200 F-7035	82200135	79.4	44.1	22.2	40	Light grey

Scope Of Delivery:

Lid and base, 1 screw

Notes: Upgradable to IP 54 by fitting DI-D. The dimensions are approximate values. The exact values can be found in the respective product drawing.

BS 202 F, IP 54, with loop for attaching lanyard




Model	Order no.	A	B	C	IP	Colour
BS 202 F-7024	82202124	79.4	44.1	22.2	54	Graphite grey
BS 202 F-7035	82202135	79.4	44.1	22.2	54	Light grey

Scope Of Delivery:

Lid and base including seal, 1 screw

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



Z-2803266

BOS-Streamline

With membrane keypad area

BS 400 F without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 400 F-7024	82400124	119.3	64.9	26.5	40	Graphite grey
BS 400 F-7035	82400135	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 402 F without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 402 F-7024	82402124	119.3	64.9	26.5	65	Graphite grey
BS 402 F-7035	82402135	119.3	64.9	26.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area



BS 500 F without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 500 F-7024	82500124	140.3	72.9	31.3	40	Graphite grey
BS 500 F-7035	82500135	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 502 F without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 502 F-7024	82502124	140.3	72.9	31.3	65	Graphite grey
BS 502 F-7035	82502135	140.3	72.9	31.3	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area

BS 600 F without battery compartment, IP 40 (IP 65²)

Model	Order no.	A	B	C	IP	Colour
BS 600 F-7024	82600124	159.4	77.9	33.5	40	Graphite grey
BS 600 F-7035	82600135	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 602 F without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 602 F-7024	82602124	159.4	77.9	33.5	65	Graphite grey
BS 602 F-7035	82602135	159.4	77.9	33.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area



BS 700 F without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 700 F-7024	82700124	184.3	93	35.4	40	Graphite grey
BS 700 F-7035	82700135	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 702 F without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 702 F-7024	82702124	184.3	93	35.4	65	Graphite grey
BS 702 F-7035	82702135	184.3	93	35.4	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area

BS 800 F without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 800 F-7024	82800124	209.3	98	34.8	40	Graphite grey
BS 800 F-7035	82800135	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 802 F without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 802 F-7024	82802124	209.3	98	34.8	65	Graphite grey
BS 802 F-7035	82802135	209.3	98	34.8	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area and battery compartment



BS 401 with compartment for 3 micro (AAA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 401 F-7024	82401124	119.3	64.9	26.5	40	Graphite grey
BS 401 F-7035	82401135	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 403 F with compartment for 3 micro (AAA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 403 F-7024	82403124	119.3	64.9	26.5	40	Graphite grey
BS 403 F-7035	82403135	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 404 F with compartment for 3 micro (AAA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 404 F-7024	82404124	119.3	64.9	26.5	65	Graphite grey
BS 404 F-7035	82404135	119.3	64.9	26.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area and battery compartment

BS 501 F with compartment for 3 micro (AAA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 501 F-7024	82501124	140.3	72.9	31.3	40	Graphite grey
BS 501 F-7035	82501135	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 503 F with compartment for 3 micro (AAA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 503 F-7024	82503124	140.3	72.9	31.3	40	Graphite grey
BS 503 F-7035	82503135	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 504 F with compartment for 3 micro (AAA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 504 F-7024	82504124	140.3	72.9	31.3	65	Graphite grey
BS 504 F-7035	82504135	140.3	72.9	31.3	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area and battery compartment



BS 601 F with compartment for 3 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 601 F-7024	82601124	159.4	77.9	33.5	40	Graphite grey
BS 601 F-7035	82601135	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 603 F with compartment for 3 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 603 F-7024	82603124	159.4	77.9	33.5	40	Graphite grey
BS 603 F-7035	82603135	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 604 F with compartment for 3 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 604 F-7024	82604124	159.4	77.9	35.5	65	Graphite grey
BS 604 F-7035	82604135	159.4	77.9	33.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area and battery compartment

BS 701 F with compartment for 4 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 701 F-7024	82701124	184.3	93	35.4	40	Graphite grey
BS 701 F-7035	82701135	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 703 F with compartment for 4 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 703 F-7024	82703124	184.3	93	35.4	40	Graphite grey
BS 703 F-7035	82703135	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 704 F with compartment for 4 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 704 F-7024	82704124	184.3	93	35.4	65	Graphite grey
BS 704 F-7035	82704135	184.3	93	35.4	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With membrane keypad area and battery compartment



BS 801 F with compartment for 4 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 801 F-7024	82801124	209.3	98	34.8	40	Graphite grey
BS 801 F-7035	82801135	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 803 F with compartment for 4 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 803 F-7024	82803124	209.3	98	34.8	40	Graphite grey
BS 803 F-7035	82803135	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 804 F with compartment for 4 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 804 F-7024	82804124	209.3	98	34.8	65	Graphite grey
BS 804 F-7035	82804135	209.3	98	34.8	65	Light grey

Scope Of Delivery:

Lid and base including seal, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen

BS 400 DIS without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 400 DIS-7024	82400224	119.3	64.9	26.5	40	Graphite grey
BS 400 DIS-7035	82400235	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 402 DIS without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 402 DIS-7024	82402224	119.3	64.9	26.5	65	Graphite grey
BS 402 DIS-7035	82402235	119.3	64.9	26.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen



BS 500 DIS without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 500 DIS-7024	82500224	140.3	72.9	31.3	40	Graphite grey
BS 500 DIS-7035	82500235	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 502 DIS without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 502 DIS-7024	82502224	140.3	72.9	31.3	65	Graphite grey
BS 502 DIS-7035	82502235	140.3	72.9	31.3	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen

BS 600 DIS without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 600 DIS-7024	82600224	159.4	77.9	33.5	40	Graphite grey
BS 600 DIS-7035	82600235	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 602 DIS without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 602 DIS-7024	82602224	159.4	77.9	33.5	65	Graphite grey
BS 602 DIS-7035	82602235	159.4	77.9	33.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen



BS 700 DIS without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 700 DIS-7024	82700224	184.3	93	35.4	40	Graphite grey
BS 700 DIS-7035	82700235	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 702 DIS without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 702 DIS-7024	82702224	184.3	93	35.4	65	Graphite grey
BS 702 DIS-7035	82702235	184.3	93	35.4	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen

BS 800 DIS without battery compartment, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 800 DIS-7024	82800224	209.3	98	34.8	40	Graphite grey
BS 800 DIS-7035	82800235	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 802 DIS without battery compartment, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 802 DIS-7024	82802224	209.3	98	34.8	65	Graphite grey
BS 802 DIS-7035	82802235	209.3	98	34.8	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen and battery compartment



BS 401 DIS with compartment for 3 micro (AAA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 401 DIS-7024	82401224	119.3	64.9	26.5	40	Graphite grey
BS 401 DIS-7035	82401235	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 403 DIS with compartment for 3 micro (AAA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 403 DIS-7024	82403224	119.3	64.9	26.5	40	Graphite grey
BS 403 DIS-7035	82403235	119.3	64.9	26.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 404 DIS with compartment for 3 micro (AAA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 404 DIS-7024	82404224	119.3	64.9	26.5	65	Graphite grey
BS 404 DIS-7035	82404235	119.3	64.9	26.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen and battery compartment

BS 501 DIS with compartment for 3 micro (AAA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 501 DIS-7024	82501224	140.3	72.9	31.3	40	Graphite grey
BS 501 DIS-7035	82501235	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 503 DIS with compartment for 3 micro (AAA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 503 DIS-7024	82503224	140.3	72.9	31.3	40	Graphite grey
BS 503 DIS-7035	82503235	140.3	72.9	31.3	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 504 DIS with compartment for 3 micro (AAA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 504 DIS-7024	82504224	140.3	72.9	31.3	65	Graphite grey
BS 504 DIS-7035	82504235	140.3	72.9	31.3	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen and battery compartment



BS 601 DIS with compartment for 3 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 601 DIS-7024	82601224	159.4	77.9	33.5	40	Graphite grey
BS 601 DIS-7035	82601235	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 603 DIS with compartment for 3 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 603 DIS-7024	82603224	159.4	77.9	33.5	40	Graphite grey
BS 603 DIS-7035	82603235	159.4	77.9	33.5	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 604 DIS with compartment for 3 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 604 DIS-7024	82604224	159.4	77.9	33.5	65	Graphite grey
BS 604 DIS-7035	82604235	159.4	77.9	33.5	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen and battery compartment

BS 701 DIS with compartment for 4 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 701 DIS-7024	82701224	184.3	93	35.4	40	Graphite grey
BS 701 DIS-7035	82701235	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 703 DIS with compartment for 4 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 703 DIS-7024	82703224	184.3	93	35.4	40	Graphite grey
BS 703 DIS-7035	82703235	184.3	93	35.4	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 704 DIS with compartment for 4 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 704 DIS-7024	82704224	184.3	93	35.4	65	Graphite grey
BS 704 DIS-7035	82704235	184.3	93	35.4	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

With display screen and battery compartment



BS 801 DIS with compartment for 4 mignon (AA) batteries, IP 40

Model	Order no.	A	B	C	IP	Colour
BS 801 DIS-7024	82801224	209.3	98	34.8	40	Graphite grey
BS 801 DIS-7035	82801235	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.



BS 803 DIS with compartment for 4 mignon (AA) batteries, IP 40 (IP 65¹)

Model	Order no.	A	B	C	IP	Colour
BS 803 DIS-7024	82803224	209.3	98	34.8	40	Graphite grey
BS 803 DIS-7035	82803235	209.3	98	34.8	40	Light grey

Scope Of Delivery:

Lid and base, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Upgradable to IP 65 by fitting decor seal DI-D.



BS 804 DIS with compartment for 4 mignon (AA) batteries, IP 65²


Model	Order no.	A	B	C	IP	Colour
BS 804 DIS-7024	82804224	209.3	98	34.8	65	Graphite grey
BS 804 DIS-7035	82804235	209.3	98	34.8	65	Light grey

Scope Of Delivery:

Lid and base including seal, display screen, adhesive film, 4 screws, battery compartment lid, battery compartment seal, screws, battery contacts

Notes: The dimensions are approximate values. The exact values can be found in the respective product drawing.

² Cannot be combined with DI-D decor seal.



BOS-Streamline

Decor seals

Decor seals

Model	Order no.	IP	Colour	Note
BS 200 DI-D-1003	82821003	65	Signal yellow	For BS 200
BS 200 DI-D-3001	82823001	65	Signal red	For BS 200
BS 200 DI-D-5005	82825005	65	Signal blue	For BS 200
BS 200 DI-D-6032	82826032	65	Signal green	For BS 200
BS 200 DI-D-7024	82827024	65	Graphite grey	For BS 200
BS 400 DI-D-1003	82841003	65	Signal yellow	For BS 400
BS 400 DI-D-3001	82843001	65	Signal red	For BS 400
BS 400 DI-D-5005	82845005	65	Signal blue	For BS 400
BS 400 DI-D-6032	82846032	65	Signal green	For BS 400
BS 400 DI-D-7024	82847024	65	Graphite grey	For BS 400
BS 500 DI-D-1003	82851003	65	Signal yellow	For BS 500
BS 500 DI-D-3001	82853001	65	Signal red	For BS 500
BS 500 DI-D-5005	82855005	65	Signal blue	For BS 500
BS 500 DI-D-6032	82856032	65	Signal green	For BS 500
BS 500 DI-D-7024	82857024	65	Graphite grey	For BS 500
BS 600 DI-D-1003	82861003	65	Signal yellow	For BS 600
BS 600 DI-D-3001	82863001	65	Signal red	For BS 600
BS 600 DI-D-5005	82865005	65	Signal blue	For BS 600
BS 600 DI-D-6032	82866032	65	Signal green	For BS 600
BS 600 DI-D-7024	82867024	65	Graphite grey	For BS 600
BS 700 DI-D-1003	82871003	65	Signal yellow	For BS 700
BS 700 DI-D-3001	82873001	65	Signal red	For BS 700
BS 700 DI-D-5005	82875005	65	Signal blue	For BS 700
BS 700 DI-D-6032	82876032	65	Signal green	For BS 700
BS 700 DI-D-7024	82877024	65	Graphite grey	For BS 700
BS 800 DI-D-1003	82881003	65	Signal yellow	For BS 800
BS 800 DI-D-3001	82883001	65	Signal red	For BS 800
BS 800 DI-D-5005	82885005	65	Signal blue	For BS 800
BS 800 DI-D-6032	82886032	65	Signal green	For BS 800
BS 800 DI-D-7024	82887024	65	Graphite grey	For BS 800

Scope Of Delivery:

Decor seal, 4 screws; BS 200 DI-D-... 1 screw

Notes: Not for use with BS .02 and BS .04.


Decor seals for loop for attaching lanyard

Model	Order no.	IP	Colour	Note
BS 500 DI-D-1003-LO	82851103*	65	Signal yellow	For BS 500
BS 500 DI-D-3001-LO	82853101*	65	Signal red	For BS 500
BS 500 DI-D-5005-LO	82855105*	65	Signal blue	For BS 500
BS 500 DI-D-6032-LO	82856132*	65	Signal green	For BS 500
BS 500 DI-D-7024-LO	82857124*	65	Graphite grey	For BS 500
BS 500 DI-D-1003-LU	82851203*	65	Signal yellow	For BS 500
BS 500 DI-D-3001-LU	82853201*	65	Signal red	For BS 500
BS 500 DI-D-5005-LU	82855205*	65	Signal blue	For BS 500
BS 500 DI-D-6032-LU	82856232*	65	Signal green	For BS 500
BS 500 DI-D-7024-LU	82857224*	65	Graphite grey	For BS 500

Scope Of Delivery:

Seal with bracket up or down, 4 screws

Notes: LO = bracket up, LU = bracket down. Not for use with BS 502 and BS 504.


BOS-Streamline

Accessories



Screw covers for enclosure screws

Model	Order no.	Colour
BS SA-7024	82800011	Graphite grey
BS SA-7035	82800010	Light grey

Scope Of Delivery:

20 pieces

Notes: The screw covers are not required if decor seal DI-D is fitted (Exception: BS 200 / 202).



Screw-on lanyard loop

Model	Order no.	Colour
OE-7035	59907035	Light grey
OE-7024	59907024	Graphite grey, similar to RAL 7024
OE-7038	59907038	Agate grey, similar to RAL 7038
OE-9005	59909005	Black, similar to RAL 9005

Scope Of Delivery:

5 screw-on lanyard loops including fixing material

Notes: Mechanical enclosure processing on request. Load-carrying capacity: max. 15 kg (150 N). Up to protection class IP 65/DIN EN 60529 is possible.



Universal clip

Model	Order no.	Colour
UC1 - 7024	34197024	Graphite grey, similar to RAL 7024
UC1 - 7035	34197035	Light grey
UC1 - 7038	34197038	Agate grey, similar to RAL 7038
UC1 - 9005	34199005	Black, similar to RAL 9005

Scope Of Delivery:

1 clip incl. fixing material

Notes: Mechanical processing and mounting on request. The fitting of the clip does not affect the protection class of the enclosure (IP 65).





BOPLA

A Phoenix Mecano Company