

6.6ft (2m) USB C to DisplayPort 1.2 Cable 4K 60Hz - Bidirectional DP to USB-C or USB-C to DP  
Reversible Video Adapter Cable - HBR2/HDR - USB Type C/Thunderbolt Monitor Cable

**Product ID:** CDP2DP2MBD



This USB-C to DisplayPort 1.2 cable lets you connect your USB Type-C (or Thunderbolt 3) device to a DisplayPort display, or a DP device to a USB-C display with just one cable.

At 6.6 ft. (2 m) in length, this bidirectional adapter cable delivers a direct connection that eliminates excess adapters and cabling, ensuring a tidy, professional installation. For shorter installations, we also offer a 3.3 ft. (1 m) USB-C to DP cable, enabling you to choose the right cable length for your custom installation needs.

As well, the cable works with both Mac and Windows devices and allows for plug-and-play installation, removing the need for any additional software or drivers.


Use this USB-C to DisplayPort adapter cable to output 4K video and audio to a DP display from the USB Type-C (or Thunderbolt 3) port on your laptop or mobile device. With bi-directional capabilities, this cable can also connect your DisplayPort-enabled devices to a display featuring USB-C input.

This USB-C to DP 1.2 adapter cable lets you harness the video capabilities that are built into your computer's USB Type-C (or DisplayPort) connection, to deliver the astonishing quality of UHD to your 4K display. For even higher resolution and bandwidth support, we offer a USB-C to DP 1.4 cable, which is the perfect accessory for early adopters of 8K.

CDP2DP2MBD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note: Your USB 3.1 Type-C device must support DP Alt Mode to work with this cable.

## Certifications, Reports and Compatibility



## Applications

- Ideal for home, office or hot-desk applications
- Perfect accessory for creative professionals
- Deliver enriched presentations on the go
- Stream, view and edit 4K video

## Features

- **HIGH PERFORMANCE:** 6.6ft/2m Reversible USB-C to DisplayPort 1.2 (21.6Gbps) cable or DP to USB-C cable supports 4K 60Hz/HBR2/HDR/HDCP 2.2/1.4; 1080p and Thunderbolt compatible
- **REVERSIBLE CABLE:** This DisplayPort to USB C bidirectional cable works either way to connect your USB-C Laptop to a DisplayPort Monitor or connect a DisplayPort device to a USB Type-C display
- **DP OR USB-C DP ALT MODE HOST COMPATIBLE:** USB-C video cable for Dell XPS/Precision/Latitude, Lenovo ThinkPad X1 Carbon/Extreme, Surface Laptop 3/Pro, MacBook Pro/Air, HP EliteBook/Spectre/ZBook
- **DP OR USB-C MONITOR COMPATIBLE:** Use this DisplayPort to USB C cable to convert from a DP host to a USB-C monitor; supports USB-C 16:9 & ultrawide monitors from LG, Dell UltraSharp, Acer, Asus Pro Art
- **INTEGRATED VIDEO ADAPTER CABLE:** Supports driverless setup on any OS, minimizes failure points & signal loss, and features latching DP connector to ensure a reliable & consistent connection

---

### Hardware

|                           |                   |
|---------------------------|-------------------|
| Warranty                  | 3 Years           |
| Active or Passive Adapter | Active            |
| AV Input                  | USB-C             |
|                           | DisplayPort - 1.2 |
| AV Output                 | DisplayPort       |
|                           | USB-C             |

|            |                       |
|------------|-----------------------|
| Audio      | Yes                   |
| Chipset ID | Chrontel - CH7213D-BF |
|            | VIA Labs - VL170      |

---

#### Performance

|                       |  |
|-----------------------|--|
| Video Revision        | DisplayPort 1.2  |
| Supported Resolutions | DisplayPort: 3840x2160 (4K) / 60Hz<br>USB-C: 3840x2160 (4K) / 60Hz |
| Wide Screen Supported | Yes  |
| Audio Specifications  | DisplayPort - 7.1 Channel Audio<br>USB-C - 7.1 Channel Audio       |
| MTBF                  | 3,304,646 hours  |

---

#### Connector(s)

|             |   |
|-------------|---|
| Connector A | 1 - USB-C (24 pin) DisplayPort Alt Mode |
| Connector B | 1 - DisplayPort (20 pin)                |

---

#### Special Notes / Requirements

|                               |   |
|-------------------------------|---|
| System and Cable Requirements | Your USB-C device must support DisplayPort Alt Mode to work with this cable                   |
| Note                          | Maximum performance is dependent upon the specifications of your video source and destination |

---

#### Environmental

|                       |                           |
|-----------------------|---------------------------|
| Operating Temperature | 0C to 45C (32F to 113F)   |
| Storage Temperature   | -10C to 70C (14F to 158F) |
| Humidity              | 10%-85% RH                |

---

#### Physical Characteristics

|                |                    |
|----------------|--------------------|
| Color          | Black              |
| Material       | Plastic            |
| Product Length | 80.2 in [203.8 cm] |

|                   |                |
|-------------------|----------------|
| Product Width     | 8.7 in [22 cm] |
| Product Height    | 0.4 in [1 cm]  |
| Weight of Product | 2.7 oz [77 g]  |

---

#### Packaging Information

|                           |                  |
|---------------------------|------------------|
| Package Quantity          | 1                |
| Package Length            | 7.2 in [18.3 cm] |
| Package Width             | 4.9 in [12.5 cm] |
| Package Height            | 0.7 in [1.9 cm]  |
| Shipping (Package) Weight | 3.0 oz [86.0 g]  |

---

#### What's in the Box

|                     |   |
|---------------------|---|
| Included in Package | 1 - 2 m USB-C to DisplayPort 1.2 Bi-Directional Adapter Cable |
|---------------------|---|

---

#### Warranty Information

|          |         |
|----------|---------|
| Warranty | 3 Years |
|----------|---------|

---

***\*Product appearance and specifications are subject to change without notice.***