

6in Latching SATA Cable

Product ID: LSATA6



The LSATA6 SATA Cable features two latching 7-pin data receptacles and supports full SATA 3.0 bandwidth of up to 6Gbps when used with SATA 3.0 compliant drives.

The latching connectors lock when connected to a supporting (latchable) SATA port, ensuring a snug, and secured data connection every time to prevent accidental disconnects.

Featuring a low profile, yet durable construction, the flexible design improves airflow and reduces clutter in your computer case, helping to keep the case clean and cool.

Constructed of only top quality materials and designed for optimum performance and reliability this 6" SATA cable is backed by our lifetime warranty.

Certifications, Reports and Compatibility



Applications

- Installing Serial ATA hard drives, and DVD drives in Small Form Factor computer cases
- Server and storage subsystem applications
- High-end workstation drive installations
- Connections to SATA Drive Arrays

Features

- 2x Latching SATA connectors
- Supports full SATA 3.0 6Gbps bandwidth
- Compatible with both 3.5" and 2.5" SATA hard drives
- Provides 6" in cable length

Hardware

Warranty	Lifetime
Number of Conductors	2
Cable Jacket Material	PVC - Polyvinyl Chloride

Performance

Type and Rate	SATA III (6 Gbps)
MTBF	500 Insertion Cycles

Connector(s)

Connector A	1 - SATA (7 pin, Data)
Connector B	1 - SATA (7 pin, Data)

Physical Characteristics

Color	Red
Connector Style	Latching
Wire Gauge	26 AWG (0.404 mm)
Cable Length	6.0 in [152.4 mm]
Product Length	6.0 in [15.2 cm]
Product Width	0.6 in [1.4 cm]
Product Height	0.2 in [0.6 cm]
Weight of Product	0.2 oz [6.0 g]

Packaging Information

Package Quantity	1
Package Length	6.7 in [16.9 cm]
Package Width	2.5 in [6.4 cm]
Package Height	0.6 in [1.6 cm]
Shipping (Package) Weight	0.4 oz [10.0 g]

What's in the Box

Included in Package	1 - 6in Latching SATA Cable
---------------------	-----------------------------

Warranty Information

Warranty	Lifetime
----------	----------

**Product appearance and specifications are subject to change without notice.*

