

50cm SFF-8087 to 4x SATA - Internal Mini SAS to SATA Reverse Cable

Product ID: SAS8087S4R50



The SAS8087S4R50 SFF-8087 to 4x SATA Reverse cable features one 36-pin plug (SFF-8087), which fans out to four SATA 7-pin receptacles, providing a reliable solution for connecting a Mini SAS backplane to a SAS / SATA RAID controller or motherboard.

Designed for long-lasting dependability and reliability, the Mini SAS to SATA cable is backed by StarTech.com's lifetime warranty.

Certifications, Reports and Compatibility



Applications

- Connect a Mini SAS backplane to a SAS / SATA RAID controller or motherboard

Features

- **HIGH-SPEED PERFORMANCE:** Supports 6Gbps bandwidth per channel for reliable data transfer
- **SECURE CONNECTIONS:** Features 4 latching SATA connectors for stable and safe use
- **COST-EFFECTIVE DESIGN:** Connects 4 SATA drives to a single SFF-8087 backplane; Compatible with RAID, HBAs, or JBOD setups, reducing cable clutter and ensuring flexibility
- **VERSATILE COMPATIBILITY:** Connect a Mini SAS backplane to a SAS / SATA RAID controller or motherboard

- THE IT PRO'S CHOICE: Designed and built for IT Professionals, this Internal Mini SAS to 4x SATA Cable is backed for life, including free lifetime 24/5 multi-lingual technical assistance

Performance

Warranty	Lifetime
Type and Rate	SATA III (6 Gbps)

Connector(s)

Connector A	1 - SFF-8087 (36 Pin, Internal Mini-SAS)
Connector B	4 - SATA (7 pin, Data)

Physical Characteristics

Color	Red
Connector Style	Latching
Wire Gauge	30 AWG
Cable Length	1.6 ft [0.5 m]
Product Length	19.7 in [50 cm]
Product Width	0.7 in [1.8 cm]
Product Height	0.4 in [1 cm]
Weight of Product	1.6 oz [46 g]

Packaging Information

Package Quantity	1
Package Length	4.6 in [11.7 cm]
Package Width	4.4 in [11.1 cm]
Package Height	1.0 in [2.6 cm]
Shipping (Package) Weight	1.8 oz [50.0 g]

What's in the Box

Included in Package	1 - 50cm SAS Cable - SFF-8087 to 4x Latching SATA Reverse
---------------------	---

**Warranty
Information**

Warranty

Lifetime

****Product appearance and specifications are subject to change without notice.***