



Dec.1.2025 Copyright 2025 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



- NOTE 1. THIS PRODUCT IS DELIVERED SEPARATELY.  
 2 AS SHOWN IN THE FIGURE, THIS PRODUCT SHALL BE USED ASSEMBLED TO A CONNECTOR UNIT 'DH40-51S' or 'DH3+B-51S'. A CLAMP 'DH-51-CMB(9.6)' IS NEEDED WHEN ASSEMBLING THE UNIT.  
 3. THIS PRODUCT SHALL BE MATED WITH A RECEPTACLE 'DH60-51P\*' WHICH ASSEMBLED LOCK SCREWS 'DH-LNA\*\*\*'.  
 4 A RECOMMENDED SCREW TIGHTENING TORQUE TO THE LOCK SCREWS TO BE FROM 0.06 TO 0.07 N · m.  
 5 A RECOMMENDED SCREW TIGHTENING TORQUE FOR COVERS TO BE FROM 0.1 TO 0.15 N · m.

|                                   |                 |                             |                              |  |                                 |
|-----------------------------------|-----------------|-----------------------------|------------------------------|--|---------------------------------|
| 3                                 | STAINLESS STEEL | PLATING : NICKEL 0.1 μm MIN | 5                            | STEEL                                      | TRIVALENT BLACK CHROMATE        |
| 2                                 | PC              | UL94V-0 (BLACK)             | 4                            | STEEL                                      | OVER PLATING : NICKEL 2 μm MIN  |
| 1                                 |                 |                             |                              |  | UNDER PLATING : COPPER 1 μm MIN |
| NO.                               | MATERIAL        | FINISH . REMARKS            | NO.                          | MATERIAL                                   | FINISH . REMARKS                |
| UNITS<br>mm                       |                 | SCALE<br>4 : 1              | COUNT<br>1                   | DESCRIPTION OF REVISIONS<br>DIS-E-00002570 |                                 |
| DESIGNED<br>TS. ITO               |                 | CHECKED<br>TU. TANIGUCHI    |                              | DATE<br>20191007                           |                                 |
| APPROVED : KN. ICHIKAWA 20091117  |                 |                             | DRAWING NO. EDC-126589-00-00 |  |                                 |
| CHECKED : KN. ICHIKAWA 20091117   |                 |                             | PART NO. DH-51-CV1B          |  |                                 |
| DESIGNED : MO. SHIMOYAMA 20091117 |                 |                             | CODE NO. CL244-0012-0-00     |  |                                 |
| DRAWN : TM. ONO 20091116          |                 |                             | 1/2                          |  |                                 |

Dec.1.2025 Copyright 2025 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



|            |             |                  |
|------------|-------------|------------------|
| <b>HRS</b> | DRAWING NO. | EDC-126589-00-00 |
|            | PART NO.    | DH-51-CV1B       |
|            | CODE NO.    | CL244-0012-0-00  |
|            |             | 2/2              |