


Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
3	RE-F-09671	K.N	H.Y	04.04.08					

RECOMMENDED LAND PATTERN DIMENSION OF P.C.B. (MOUNTING SIDE)






DIMENSION TABLE OF CONNECTOR AND P.C.B. LAND PATTERN.

PART No.	CODE No.	6	7	A	B	C	D	E
FX8C-60P-SV2(93)	CL578-0541-3-93	60	X	24.60	23.00	20.70	17.40	22.20
FX8C-80P-SV2(93)	CL578-0543-9-93	80	X	30.60	29.00	26.70	23.40	28.20
FX8C-100P-SV2(93)	CL578-0545-4-93	100	X	36.60	35.00	32.70	29.40	34.20
FX8C-120P-SV2(93)	CL578-0546-7-93	120	-	42.60	41.00	38.70	35.40	40.20
FX8C-140P-SV2(93)	CL578-0547-0-93	140	X	48.60	47.00	44.70	41.40	46.20

- NOTE 1. LEAD CO-PLANARITY SHALL BE 0.1mm MAX.  
 2. EMBOSSED CARRIER TAPE PACKAGING SHALL BE APPLIED TO THIS PRODUCT.  
 3. SEE NEXT PAGE FOR DETAILS.  
 4. THIS PRODUCT HAS TAPE FOR VACUUM PICKUP.  
 5. SEE NEXT PAGE FOR DETAIL OF STICKING POSITION, ETC.  
 6. FOR MODIFICATION, ETC, PREVENTIVE HOLE FOR SINK MARK MAY BE ADDED ACCORDING TO CIRCUMSTANCES.  
 7. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

6 NUMBER OF CONTACTS.  
 7 EXISTENCE  
 X : PRODUCED, - : NO PRODUCED

1	PPS	LIGHT BROWN (UL94V-0)	2	PHOSPHOR BRONZE	CONTACT AREA: GOLD 0.1μm min LEAD AREA: TIN-PLATING 1μm min UNDER PLATING: NICKEL 1μm min				
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS				
CODE NO. (OLD)	CL								
DRAWN		S. SUZUKI	DESIGNED	K. NAKAMURA	CHECKED	H. OKAWA	APPROVED	Y. YOSHIMURA	RELEASED
SCALE		FREE	PART NO.		FX8C-**P-SV2(93)				
UNITS		mm	CODE NO.		CL578				




TO	
PCK	


Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE

UNREELING DIRECTION




REEL DIMENSION



DETAIL OF TAPE FOR VACUUM PICKUP(5:1)

△ DIMENSION TABLE OF EMBOSSED CARRIER TAPE AND REEL.

PART No.	CODE No.	2	3	A	B	C	D	E	F
FX8C-60P-SV2(93)	CL578-0541-3-93	60	×	20	25	20.2	40.4	44	44.4
FX8C-80P-SV2(93)	CL578-0543-9-93	80	×	26	31	20.2	40.4	44	44.4
FX8C-100P-SV2(93)	CL578-0545-4-93	100	×	32	37	26.2	52.4	56	56.4
FX8C-120P-SV2(93)	CL578-0546-7-93	120	—	38	43	26.2	52.4	56	56.4
FX8C-140P-SV2(93)	CL578-0547-0-93	140	×	44	49	34.2	68.4	72	72.4



NOTE  
 1. 1 REEL : 500 CONNECTORS  
 2. NUMBER OF CONTACTS  
 3. EXISTENCE  
 X : PRODUCED, - : NO PRODUCED

NO.	POLYESTER	(TOP COVER TAPE)	4	POLYIMIDE	(TAPE FOR VACUUM PICKUP)
2	PS	(EMBOSSED CARRIER TAPE)	3	(CONNECTOR)	
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD)	CL				
SCALE	FREE				
UNITS	MM				
DRAWING NO.	EDC3-151088-23	PART NO.	FX8C-**-P-SV2(93)		
DESIGNED	S.SUZUKI	DRAWN	K.NAKAMURA	CHECKED	H.OKAWA
DESIGNED	03.02.04	DRAWN	03.02.12	CHECKED	03.02.14
APPROVED		APPROVED	Y.YOSHIMURA	APPROVED	03.02.15
RELEASED		RELEASED		RELEASED	
CODE NO.		CODE NO.	CL578		

TO	
PCK	