



Jan. 1. 2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 2 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE




REEL DIMENSION



△ DIMENSION TABLE OF EMBOSSED CARRIER TAPE AND REEL.

PART No.	CODE No.	2	A	B	C	D	E	F
FX8-60P-SV(92)	CL578-0001-6-92	60	20	25	20.2	40.4	44	44.4
FX8-80P-SV(92)	CL578-0003-1-92	80	26	31	20.2	40.4	44	44.4
FX8-90P-SV(92)	CL578-0004-4-92	90	29	34	20.2	40.4	44	44.4
FX8-100P-SV(92)	CL578-0005-7-92	100	32	37	26.2	52.4	56	56.4
FX8-120P-SV(92)	CL578-0006-0-92	120	38	43	26.2	52.4	56	56.4
FX8-140P-SV(92)	CL578-0007-2-92	140	44	49	34.2	68.4	72	72.4

NOTE 1 1 REEL : 1000 CONNECTORS
 2 NUMBER OF CONTACTS



2 POLYESTER (TOP COVER TAPE)		3 (CONNECTOR)	
NO.	MATERIAL	FINISH, REMARKS	MATERIAL
1	PS	(EMBOSSED CARRIER TAPE)	
CL	CL		

DESIGNED	CHECKED	APPROVED	RELEASED
K. NAKAMURA	H. OKAWA	Y. YOSHIMURA	

DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
S. SUZUKI	K. NAKAMURA	H. OKAWA	Y. YOSHIMURA	
03.03.06	03.03.06	03.03.06	03.03.06	

DRAWING NO.	PART NO.
EDC3-150726-22	FX8-**P-SV(92)

SCALE	UNITS	CODE NO.
FREE	mm	CL578

TO PCK