

Feb.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

1					2					3					4				
COUNT	DESCRIPTION OF REVISIONS			BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS			BY	CHKD	DATE						
△							△												
△							△												
△							△												
△							△												


Technical drawing of a jig for withdrawing H.FL-LP connector. The drawing shows a side view and a top view. The side view shows a vertical rod with a circular ring at the top. The ring has a diameter of 15±3. The rod has a length of 100±10. The bottom of the rod has a width of 6±0.4 and a height of 3.3+0.15/0. The top view shows a circular ring with a diameter of 15±3. The rod has a length of 40±2. The bottom of the rod has a width of 3±0.3. The drawing is labeled 'H.FL-LP-N JAPAN' and 'HRS DRAWING FOR REFERENCE'.

NOTES

1. THIS JIG IS FOR WITHDRAWING H.FL-LP CONNECTOR. L-SHAPED BENDING PORTION OF THIS JIG SHALL BE INSERTED INTO CABLE SIDE OF CONNECTOR AND HOOKED ON THE CONNECTOR CAP AND WITHDRAWN.

2. ONE EXAMPLE OF SHAPE OF CHAIN, REF. NO. ② IS SHOWN.

1	STAINLESS STEEL	PASSIVATE	2	STEEL	NICKEL PLATED
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD)			DRAWN	DESIGNED	CHECKED
			M.NAGASHIMA	M.NAGASHIMA	K. Shimizu
			'94.5.19	'94.5.19	'94.5.21
			APPROVED		
			Kobayashi		
			'94.5.23		
DRAWING NO.			PART NO.		
EDC4-130148			H.FL-LP-N		
UNITS			CODE NO.		
mm			CL331-0551-7		



DRAWING NO.

EDC4-130148

HRS

HIROSE ELECTRIC CO., LTD.

PART NO.

H.FL-LP-N

CODE NO.

CL331-0551-7