

Feb.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

1					2					3					4				
COUNT	DESCRIPTION OF REVISIONS				BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS				BY	CHKD	DATE				
△								△											
△								△											
△								△											

Technical drawing of a connector pin. The drawing includes a side view with dimensions: 2.4^{+0.3}_{-0.1}, 1.8^{+0.1}_{-0.3}, 5^{+0.1}_{-0.3}, 6^{+0.3}, 3.2^{+0.3}, 0.8^{+0.3}, and 1.1^{+0.3}. A cross-section view shows a diameter of 1.6^{+0.3} and a length of 12^{+0.3}. A circular feature is labeled with a circled '1'. A large diagonal watermark reads 'HRS DRAWING FOR REFERENCE'.

NOTE 1 THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
1	PHOSPHOR BRONZE	CONTACT AREA:GOLD 0.2μ m min. UNDER PLATING:NICKEL 1μ m min.			

NO.	MATERIAL	FINISH, REMARKS	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
CODE NO. (OLD) CL			A.SUZUKAWA '06.05.26	d.Nakamura '06.05.29	sd.Ogawa '06.05.30	H.Okawa '06.05.30	

DRAWING NO.		PART NO.	
EDC4-016840		HIF3-2428SCA	
SCALE		CODE NO.	
10 : 1		CL562-0246-8	
UNITS			
mm			

HRS HIROSE ELECTRIC CO., LTD.

TO
PCK

FORM NO. 228