



DO NOT
SCALE FROM
THIS PRINTFIG 1
(FFMD-10-D-XX.XX-01-X SHOWN)

FFMD-XX-X-XX.XX-01-X-X-XXX

No OF POSITIONS
-03 TO -25

END ASSEMBLY

-D: DOUBLE END
-S: SINGLE END
* -T: TRANSFER ENDASSEMBLY LENGTH
(2.00 [50.8] MINIMUM)

LEAD STYLE

PLATING OPTIONS

LEAVE BLANK FOR STANDARD
(USE T-1S57-01-T AND C-67-L)
-L: SELECTIVE LIGHT GOLD
(USE T-1S57-01-L AND C-67-L)
-F: FLASH SELECTIVE GOLD
(USE T-1S57-01-F AND C-67-F)
-S: SELECTIVE GOLD
(USE T-1S57-01-S AND C-67-S)

OPTION

-RW: REVERSE WIRING
-BXX: BREAKOUT OPTION
-O: OUTSIDE REVERSED
-M: MIDDLE REVERSED
-R: REVERSE
-DXX: DAISY CHAIN (MINIMUM 2.00 [50.8],
1.00 [25.4] INCREMENTS)
-SR: STRAIN RELIEF
(NOT AVAILABLE WITH -O, -M,
-R, -DXX OR -BXX)
(SOLD AS ASSEMBLIES ONLY)

TRANSFER OPTION

-N: SOCKET HAS NOTCH POLARIZATION
(-T END ASSEMBLY ONLY)
(LEAVE BLANK FOR -S AND -D
END OPTIONS)
(NOT AVAILABLE ON POSITIONS -02
THRU -04)

*16-25 POS TRANSFER END STRAIN RELIEF NOT RELEASED FOR PRODUCTION


FIG 2
(FFMD-10-S-XX.XX-01-X SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)

TABLE 1	
ITEM #	PART
1	FFSD-XX-XX-X-N
2	CB-XX-30-7
3	FFMD-XX-XX-X-XX
4	FFMD-XX-01-X-SR
5	FFSR-XX-01
6	FFSR-XX-02
7	FFSD-XX-XX-X-N-SR1
8	FFSD-XX-XX-X-N-SR2

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:

DECIMALS	ANGLES
.XX: ±.01 [.3]	2°
.XXX: ±.005 [.13]	
.XXXX: ±.0020 [.051]	

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS
WRITTEN CONSENT OF SAMTEC, INC.

MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 2:1

INSULATOR: PBT, COLOR: BLACK

CONTACT: BeCu

TERMINAL: PHOS BRONZE

WIRE: 30 AWG, 7/38, TINNED, STRANDED WITH
PVC INSULATOR

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322DESCRIPTION:
.050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY

DWG. NO.


FFMD-XX-X-XX.XX-01-X-X-XXX

BY: T NEWTON 02/15/2008 SHEET 1 OF 6


NOTES:

1. Ⓢ REPRESENTS A CRITICAL DIMENSION.
2. FFSD ASSEMBLY TO BE USED FOR TRANSFER END ONLY.
3. ALL ASSEMBLIES TO BE 100% ELECTRONICALLY TESTED FOR SHORTS AND OPENS.
4. ALL ASSEMBLIES TO BE 100% HI-POT TESTED AT 630V.
5. STRAIN RELIEF TO WITHSTAND 5LB [22N] STRAIGHT PULL.
6. FFMD CABLE ASSEMBLIES ARE LEAD FREE.
7. WHEN CUTTING CABLE TO LENGTH, CONDUCTORS SHOULD NOT EXTEND PAST THE CABLE INSULATION, EXTENDING LESS THAN 25% OF CABLE THICKNESS ON CONSECUTIVE AND LESS THAN 50% OF CABLE THICKNESS ON NON-CONSECUTIVE STRANDS IS CONSIDERED A PROCESS INDICATOR.
8. REFERENCE FFMD-XX-XX-X-XX (AND FFSD-XX-XX-X-N-XX FOR -T OPTION) DRAWING FOR CONNECTOR ASSEMBLY DIMENSIONS AND ITS REQUIREMENTS.
9. FOR LENGTHS LESS THAN 12.5" TOLERANCE SHALL BE +/- .125, ALL OTHER LENGTHS SHALL BE +/- 1%.
10. PACKAGE PER IDC STYLE CABLE SECTION OF PACKAGING MANUAL.
11. FFMD CABLE ASSEMBLIES ARE NOT LEAD-FREE SOLDERABLE.

FIG 3
(FFMD-10-D-XX.XX-01-X-SR SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)



IN-PROCESS 1
-SR ONLY



IN-PROCESS 2
-SR ONLY




FIG 4
(FFMD-10-X-XX.XX-01-X-RW SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)




FIG 6
(FFMD-10-T-XX.XX-01-X-N SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)




FIG 5
(FFMD-10-X-XX.XX-01-X-N SHOWN)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
(FOR -T ONLY)
(IF OPTION IS SPECIFIED USE FFSD-XX-01-X-N)





FIG 7
(FFMD-10-T-XX.XX-01-X-N-B05 SHOWN)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
"XX" = NO. OF CONDUCTORS PER ROW
BROKEN OUT FROM THE FIRST POSITION



PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:
.050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY

DWG. NO.
FFMD-XX-X-XX.XX-01-X-X-XXX

BY: T NEWTON 02/15/2008 SHEET 2 OF 6

FIG 8

(FFMD-10-D-XX.XX-01-X-DXX-O SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -R OR -M OPTIONS)




FIG 9

(FFMD-10-D-XX.XX-01-X-DXX-M SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -R OR -O OPTIONS)




FIG 10

(FFMD-10-T-XX.XX-01-X-N-DXX-O SHOWN)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -R OR -M OPTIONS)





FIG 11

(FFMD-10-T-XX.XX-01-X-N-DXX-M SHOWN)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -R OR -O OPTIONS)



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322


DESCRIPTION:
.050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY

DWG. NO.
FFMD-XX-X-XX.XX-01-X-X-XXX

BY: T NEWTON 02/15/2008 SHEET 3 OF 6


FIG 12

(FFMD-10-D-XX.XX-01-DXX-R SHOWN)
(SAME AS FIG 1, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -M OR -O OPTIONS)



FIRST POSITION INDICATOR


BOTH CONNECTORS REVERSED
WHEN DAISY CHAINED




XX.00[XX.0 x 25.4] ±.13[3.2]
(MIN 2", SEE CALLOUT OPTION DXX)

FIG 13

(FFMD-10-D-XX.XX-01-X-DXX)
(SAME AS FIG 1, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)




FIRST POSITION INDICATOR



XX.00[XX.0 x 25.4] ±.13[3.2]
(MIN 2", SEE CALLOUT OPTION DXX)


FIG 14

(FFMD-10-T-XX.XX-01-X-N-DXX-R SHOWN)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)
(NOT AVAILABLE WITH -M OR -O OPTIONS)



FIRST POSITION INDICATOR


BOTH CONNECTORS REVERSED
WHEN DAISY CHAINED




XX.00[XX.0 x 25.4] ±.13[3.2]
(MIN 2", SEE CALLOUT OPTION DXX)

FIG 15

(FFMD-10-T-XX.XX-01-X-N-DXX)
(SAME AS FIG 1 AND FIG 6, DIFFERENT AS SHOWN)
(2.00[50.8] MINIMUM LENGTH, 1.00[25.4] INCREMENTS)



FIRST POSITION INDICATOR



XX.00[XX.0 x 25.4] ±.13[3.2]
(MIN 2", SEE CALLOUT OPTION DXX)

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:
.050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY

DWG. NO.
FFMD-XX-X-XX.XX-01-X-X-XXX

BY: T NEWTON 02/15/2008 SHEET 4 OF 6

FIG 16
(FFMD-10-T-XX.XX-01-X-N-SR SHOWN)
(SAME AS FIG 1 AND FIG 3, DIFFERENT AS SHOWN)
(FOR POSITIONS 2-15 ONLY)





FIG 17
(FFMD-25-T-XX.XX-01-X-N-SR SHOWN)
(SAME AS FIG 1 AND FIG 16, DIFFERENT AS SHOWN)
(FOR POSITIONS 16-25 ONLY)
*NOT RELEASED FOR PRODUCTION



• PROPRIETARY NOTE •
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1




520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:
.050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY

DWG. NO.
FFMD-XX-X-XX.XX-01-X-X-XXX

BY: T NEWTON 02/15/2008 SHEET 5 OF 6

FEND VIEW SHOWN WITH
FMC-XX-D REMOVED



• PROPRIETARY NOTE • THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC. DO NOT SCALE DRAWING SHEET SCALE: 2:1	 520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322
	DESCRIPTION: .050 X .050 DOUBLE ROW MALE IDC CABLE ASSEMBLY
	DWG. NO. FFMD-XX-X-XX.XX-01-X-X-XXX
	BY: T NEWTON 02/15/2008 SHEET 6 OF 6