

ES EPG 45 WM 16/35**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Version	35mm ² , WM crimp
Order No.	1500920000
Type	ES EPG 45 WM 16/35
GTIN (EAN)	4050118309478
Qty.	1 pc(s).

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	12 mm	Depth (inches)	0.472 inch
Height	60 mm	Height (inches)	2.362 inch
Width	30 mm	Width (inches)	1.181 inch
Net weight	133.6 g		

Crimp inserts

Crimp cross-section copper	16/35	Crimping width in mm	7/10
----------------------------	-------	----------------------	------

Description of contact

Conductor cross-section, max. AWG	2	Conductor cross-section, min. AWG	6
Crimping range, max.	35 mm ²		

tool data crimping

Cable lug cross section	nominal	16 mm ²
	nominal	35 mm ²
Crimping type/profile	WM crimp	

Classifications

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 9.0	21-04-90-90
ECLASS 9.1	21-01-90-90	ECLASS 10.0	21-04-90-90
ECLASS 11.0	21-04-90-90	ECLASS 12.0	21-04-90-90
ECLASS 13.0	21-04-90-90	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Downloads

Catalogues	Catalogues in PDF-format
Brochures	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/16	Version
Order No.	1493040000	cable lug, terminal end, 16 mm ² , 16 mm ² , None
GTIN (EAN)	4050118302981	
Qty.	100 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-16 45	Version
Order No.	1496850000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306408	
Qty.	100 pc(s).	
Type	KWN-M6/-16 45	Version
Order No.	1496870000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306446	
Qty.	100 pc(s).	
Type	KWN-M10/-16 45	Version
Order No.	1496890000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306194	
Qty.	100 pc(s).	
Type	KWN-M8/-16 45	Version
Order No.	1496880000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306422	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M6/-16	Version
Order No.	1494080000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303636	
Qty.	100 pc(s).	
Type	KQN-M10/-16	Version
Order No.	1494100000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303728	
Qty.	100 pc(s).	
Type	KQN-M12/-16	Version
Order No.	1494110000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303773	
Qty.	100 pc(s).	
Type	KQN-M5/-16	Version
Order No.	1494070000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303650	
Qty.	100 pc(s).	
Type	KQN-M8/-16	Version
Order No.	1494090000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303742	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M8/-35	Version
Order No.	1496550000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305913	
Qty.	100 pc(s).	
Type	KRN-M6/-35	Version
Order No.	1496540000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118306156	
Qty.	100 pc(s).	
Type	KRN-M10/-35	Version
Order No.	1496570000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305920	
Qty.	100 pc(s).	
Type	KRN-M12/-35	Version
Order No.	1496580000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118306019	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-35	Version
Order No.	1492810000	cable lug, terminal end, 35 mm ² , 35 mm ²
GTIN (EAN)	4050118302639	
Qty.	50 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M10/-35 90	Version
Order No.	1497570000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307153	
Qty.	100 pc(s).	
Type	KWPN-M12/-35 90	Version
Order No.	1497580000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118306682	
Qty.	100 pc(s).	
Type	KWPN-M8/-35 90	Version
Order No.	1497550000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307146	
Qty.	100 pc(s).	
Type	KWPN-M6/-35 90	Version
Order No.	1497540000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118306996	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-35	Version
Order No.	1498650000	cable lug, terminal end, 35 mm ² , 35 mm ² , None
GTIN (EAN)	4050118308143	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-16	Version
Order No.	1492790000	cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302745	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M16/-35	Version
Order No.	1498060000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307382	
Qty.	100 pc(s).	
Type	KP-M8/-35	Version
Order No.	1498030000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307511	
Qty.	100 pc(s).	
Type	KP-M6/-35	Version
Order No.	1498020000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307313	
Qty.	100 pc(s).	
Type	KP-M10/-35	Version
Order No.	1498040000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307337	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KP-M12/35	Version
Order No.	1498050000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118307320	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-35 S	Version
Order No.	1494790000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118304466	
Qty.	25 pc(s).	

Type	KRN-M8/-35 S	Version
Order No.	1494810000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118304374	
Qty.	25 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/16 90	Version
Order No.	1497090000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306743	
Qty.	100 pc(s).	

Type	KWN-M8/-16 90	Version
Order No.	1497100000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306804	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KWN-M5/-16 90	Version
Order No.	1497080000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306392	
Qty.	100 pc(s).	
Type	KWN-M12/-16 90	Version
Order No.	1497120000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306736	
Qty.	100 pc(s).	
Type	KWN-M10/-16 90	Version
Order No.	1497110000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306705	
Qty.	100 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-16	Version
Order No.	1498630000	cable lug, terminal end, 16 mm ² , 16 mm ² , None
GTIN (EAN)	4050118307856	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/35	Version
Order No.	1493060000	cable lug, terminal end, 35 mm ² , 35 mm ² , None
GTIN (EAN)	4050118302943	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-35	Version
Order No.	1494740000	cable lug, terminal end, 35 mm ² , 35 mm ² , None
GTIN (EAN)	4050118304428	
Qty.	50 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M8/-16	Version
Order No.	1492710000	cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302677	
Qty.	50 pc(s).	

Type	KQNG-M6/-16	Version
Order No.	1492700000	cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302493	
Qty.	50 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-16	Version
Order No.	1496980000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306583	
Qty.	100 pc(s).	
Type	KRN-M10/-16	Version
Order No.	1497000000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306460	
Qty.	100 pc(s).	
Type	KRN-M5/-16	Version
Order No.	1496970000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306569	
Qty.	100 pc(s).	
Type	KRN-M8/-16	Version
Order No.	1496990000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306514	
Qty.	100 pc(s).	
Type	KRN-M12/-16	Version
Order No.	1497010000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306538	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-16	Version
Order No.	1492900000	cable lug, terminal end, 16 mm ² , 16 mm ² , None
GTIN (EAN)	4050118302714	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M8/-35	Version
Order No.	1494180000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118304022	
Qty.	50 pc(s).	
Type	KQN-M6/-35	Version
Order No.	1494170000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118304015	
Qty.	50 pc(s).	
Type	KQN-M12/-35	Version
Order No.	1493130000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118302837	
Qty.	50 pc(s).	
Type	KQN-M20/-35	Version
Order No.	1493520000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118303124	
Qty.	50 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQN-M16/-35	Version
Order No.	1493140000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118302851	
Qty.	50 pc(s).	

Type	KQN-M10/-35	Version
Order No.	1494190000	cable lug, terminal end, 35 mm ²
GTIN (EAN)	4050118303780	
Qty.	50 pc(s).	

Tools

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Type	EPG 45	Version
Order No.	1500830000	Pressing tool, 6mm ² , 150mm ² , Hexagonal crimp, WM crimp, Indent
GTIN (EAN)	4050118309317	crimp, Trapezoidal crimp, Oval crimping
Qty.	1 pc(s).	

16 mm²**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-16	Version
Order No.	1497140000	cable lug, terminal end, 16 mm ² , 16 mm ² , None
GTIN (EAN)	4050118306620	
Qty.	50 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-35	Version
Order No.	1492920000	cable lug, terminal end, 35 mm ² , 35 mm ² , None
GTIN (EAN)	4050118302752	
Qty.	100 pc(s).	

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-35 45	Version
Order No.	1496230000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305968	
Qty.	50 pc(s).	
Type	KWN-M12/-35 45	Version
Order No.	1496250000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118306002	
Qty.	50 pc(s).	
Type	KWN-M10/-35 45	Version
Order No.	1496240000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118306217	
Qty.	50 pc(s).	
Type	KWN-M6/-35 45	Version
Order No.	1496220000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305852	
Qty.	50 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-35 90	Version
Order No.	1495920000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305548	
Qty.	100 pc(s).	
Type	KWN-M16/-35 90	Version
Order No.	1494690000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118304268	
Qty.	100 pc(s).	
Type	KWN-M14/-35 90	Version
Order No.	1494640000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118304350	
Qty.	100 pc(s).	
Type	KWN-M12/-35 90	Version
Order No.	1495940000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305623	
Qty.	100 pc(s).	
Type	KWN-M6/-35 90	Version
Order No.	1495910000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305418	
Qty.	100 pc(s).	
Type	KWN-M10/-35 90	Version
Order No.	1495930000	cable lug, terminal end, 35 mm ² , 35 mm ² - 35 mm ²
GTIN (EAN)	4050118305173	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35

Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M12/-16 90	Version
Order No.	1497480000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306866	
Qty.	100 pc(s).	
Type	KWPN-M10/-16 90	Version
Order No.	1497470000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307016	
Qty.	100 pc(s).	
Type	KWPN-M8/-16 90	Version
Order No.	1497450000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306873	
Qty.	100 pc(s).	
Type	KWPN-M6/-16 90	Version
Order No.	1497440000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306644	
Qty.	100 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M5/-16	Version
Order No.	1497920000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307542	
Qty.	100 pc(s).	

ES EPG 45 WM 16/35**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories**

Type	KP-M12/-16	Version
Order No.	1497960000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307436	
Qty.	100 pc(s).	
Type	KP-M8/-16	Version
Order No.	1497940000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307269	
Qty.	100 pc(s).	
Type	KP-M10/-16	Version
Order No.	1497950000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307450	
Qty.	100 pc(s).	
Type	KP-M6/-16	Version
Order No.	1497930000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307290	
Qty.	100 pc(s).	