

ES APG 80 HEX 70**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

General ordering data

Version	70mm ² , Hexagonal crimp
Order No.	1502680000
Type	ES APG 80 HEX 70
GTIN (EAN)	4050118310641
Qty.	1 pc(s).

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	342.8 g
------------	---------

Crimp inserts

Crimp cross-section aluminium	50	Crimp cross-section copper	70
Crimping width	12 mm	Crimping width in mm	12
Identification number	16		

Description of contact

Conductor cross-section, max. AWG	2/0	Conductor cross-section, min. AWG	2/0
Crimping range, max.	70 mm ²		

tool data crimping

Cable lug cross section	nominal	70 mm ²
Crimping type/profile	Hexagonal crimp	

Classifications

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 9.0	21-04-90-90
ECLASS 9.1	21-01-90-90	ECLASS 10.0	21-04-90-90
ECLASS 11.0	21-04-90-90	ECLASS 12.0	21-04-90-90
ECLASS 13.0	21-04-90-90	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Downloads

Catalogues	Catalogues in PDF-format
Brochures	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

16 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-16	Version	
Order No.	1492900000	cable lug, terminal end, 16 mm ² , 16 mm ² , None	
GTIN (EAN)	4050118302714		
Qty.	100 pc(s).		

185 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-185 90	Version	
Order No.	1494550000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²	
GTIN (EAN)	4050118304213		
Qty.	25 pc(s).		
Type	KWN-M20/-185 90	Version	
Order No.	1494580000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²	
GTIN (EAN)	4050118304336		
Qty.	25 pc(s).		
Type	KWN-M16/-185 90	Version	
Order No.	1494570000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²	
GTIN (EAN)	4050118304329		
Qty.	25 pc(s).		
Type	KWN-M10/-185 90	Version	
Order No.	1494540000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²	
GTIN (EAN)	4050118304176		
Qty.	25 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M10/-120 45	Version	
Order No.	1496400000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306224		
Qty.	25 pc(s).		
Type	KWN-M8/-120 45	Version	
Order No.	1496390000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305999		
Qty.	25 pc(s).		
Type	KWN-M16/-120 45	Version	
Order No.	1496420000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306118		
Qty.	25 pc(s).		
Type	KWN-M12/-120 45	Version	
Order No.	1496410000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306057		
Qty.	25 pc(s).		

300 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-300 S	Version	
Order No.	1494390000		cable lug, terminal end, 300 mm ² , 300 mm ² - 300 mm ²
GTIN (EAN)	4050118303940		
Qty.	5 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M10/300 S	Version	
Order No.	1494380000		cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118303926		
Qty.	5 pc(s).		
Type	KRN-M16/-300 S	Version	
Order No.	1494400000		cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118303889		
Qty.	5 pc(s).		

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-16	Version	
Order No.	1497140000		cable lug, terminal end,16 mm ² ,16 mm ² ,None
GTIN (EAN)	4050118306620		
Qty.	50 pc(s).		

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M5/-16	Version	
Order No.	1497920000		cable lug, terminal end,16 mm ²
GTIN (EAN)	4050118307542		
Qty.	100 pc(s).		
Type	KP-M10/-16	Version	
Order No.	1497950000		cable lug, terminal end,16 mm ²
GTIN (EAN)	4050118307450		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KP-M12/-16	Version
Order No.	1497960000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307436	
Qty.	100 pc(s).	
Type	KP-M8/-16	Version
Order No.	1497940000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307269	
Qty.	100 pc(s).	
Type	KP-M6/-16	Version
Order No.	1497930000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307290	
Qty.	100 pc(s).	

300 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KWN-M16/-300 90	Version
Order No.	1497310000	cable lug, terminal end, 300 mm ² , 300 mm ² - 300 mm ²
GTIN (EAN)	4050118306941	
Qty.	20 pc(s).	
Type	KWN-M20/-300 90	Version
Order No.	1497320000	cable lug, terminal end, 300 mm ² , 300 mm ² - 300 mm ²
GTIN (EAN)	4050118306934	
Qty.	20 pc(s).	
Type	KWN-M12/-300 90	Version
Order No.	1497300000	cable lug, terminal end, 300 mm ² , 300 mm ² - 300 mm ²
GTIN (EAN)	4050118306781	
Qty.	20 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M10/-70 90	Version	
Order No.	1497650000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307177		
Qty.	25 pc(s).		
Type	KWPN-M12/-70 90	Version	
Order No.	1497660000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307092		
Qty.	25 pc(s).		
Type	KWPN-M16/-70 90	Version	
Order No.	1497680000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307122		
Qty.	25 pc(s).		
Type	KWPN-M8/-70 90	Version	
Order No.	1497640000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307047		
Qty.	25 pc(s).		

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-150	Version	
Order No.	1498710000		cable lug, terminal end,150 mm ² ,150 mm ² ,None
GTIN (EAN)	4050118308129		
Qty.	25 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M16/-120 90	Version
Order No.	1494480000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304312	
Qty.	25 pc(s).	
Type	KWN-M10/-120 90	Version
Order No.	1494450000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304084	
Qty.	25 pc(s).	
Type	KWN-M8/-120 90	Version
Order No.	1494680000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304343	
Qty.	25 pc(s).	
Type	KWN-M12/-120 90	Version
Order No.	1494470000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304091	
Qty.	25 pc(s).	

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M16/-150	Version
Order No.	1495730000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305395	
Qty.	25 pc(s).	


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-150	Version
Order No.	1495710000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305159	
Qty.	25 pc(s).	
Type	KRN-M14/-150	Version
Order No.	1495810000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305500	
Qty.	25 pc(s).	
Type	KRN-M12/-150	Version
Order No.	1495720000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305296	
Qty.	25 pc(s).	
Type	KRN-M8/-150	Version
Order No.	1495700000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305333	
Qty.	25 pc(s).	
Type	KRN-M20/-150	Version
Order No.	1495740000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305357	
Qty.	25 pc(s).	

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M20/-150	Version
Order No.	1498340000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307740	
Qty.	25 pc(s).	
Type	KP-M12/-150	Version
Order No.	1498320000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307658	
Qty.	25 pc(s).	
Type	KP-M8/-150	Version
Order No.	1498290000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307399	
Qty.	25 pc(s).	
Type	KP-M14/-150	Version
Order No.	1498580000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118308112	
Qty.	25 pc(s).	

Creation date July 10, 2025 6:15:22 PM CEST

Catalogue status 04.07.2025 / We reserve the right to make technical changes.

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M16/-150	Version
Order No.	1498330000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307641	
Qty.	25 pc(s).	

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-10	Version
Order No.	1496950000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306453	
Qty.	100 pc(s).	
Type	KRN-M6/-10	Version
Order No.	1496920000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306439	
Qty.	100 pc(s).	
Type	KRN-M4/-10	Version
Order No.	1496900000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306293	
Qty.	100 pc(s).	
Type	KRN-M5/-10	Version
Order No.	1496910000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306378	
Qty.	100 pc(s).	
Type	KRN-M8/-10	Version
Order No.	1496930000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306552	
Qty.	100 pc(s).	
Type	KRN-M10/-10	Version
Order No.	1496940000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306521	
Qty.	100 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-185 90	Version
Order No.	1496800000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118306316	
Qty.	25 pc(s).	
Type	KWPN-M12/-185 90	Version
Order No.	1496700000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118306323	
Qty.	25 pc(s).	
Type	KWPN-M10/-185 90	Version
Order No.	1496690000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118306170	
Qty.	25 pc(s).	
Type	KWPN-M20/-185 90	Version
Order No.	1496720000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118306187	
Qty.	25 pc(s).	
Type	KWPN-M16/-185 90	Version
Order No.	1496710000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118306262	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M6/-16	Version	
Order No.	1492700000		cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302493		
Qty.	50 pc(s).		
Type	KQNG-M8/-16	Version	
Order No.	1492710000		cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302677		
Qty.	50 pc(s).		

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M12/-16	Version	
Order No.	1494110000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303773		
Qty.	100 pc(s).		
Type	KQN-M10/-16	Version	
Order No.	1494100000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303728		
Qty.	100 pc(s).		
Type	KQN-M6/-16	Version	
Order No.	1494080000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303636		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KQN-M8/-16	Version
Order No.	1494090000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303742	
Qty.	100 pc(s).	
Type	KQN-M5/-16	Version
Order No.	1494070000	cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118303650	
Qty.	100 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-16 45	Version
Order No.	1496850000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306408	
Qty.	100 pc(s).	
Type	KWN-M10/-16 45	Version
Order No.	1496890000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306194	
Qty.	100 pc(s).	
Type	KWN-M8/-16 45	Version
Order No.	1496880000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306422	
Qty.	100 pc(s).	
Type	KWN-M6/-16 45	Version
Order No.	1496870000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306446	
Qty.	100 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M14/-185	Version
Order No.	1498590000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307887	
Qty.	25 pc(s).	
Type	KP-M20/-185	Version
Order No.	1498380000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307757	
Qty.	25 pc(s).	
Type	KP-M10/-185	Version
Order No.	1498350000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307665	
Qty.	25 pc(s).	
Type	KP-M16/-185	Version
Order No.	1498370000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307733	
Qty.	25 pc(s).	
Type	KP-M12/-185	Version
Order No.	1498360000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307726	
Qty.	25 pc(s).	
Type	KP-M8/-185	Version
Order No.	1498540000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118307894	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-240	Version
Order No.	1495500000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118305142	
Qty.	25 pc(s).	
Type	KRN-M14/-240	Version
Order No.	1497270000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118306842	
Qty.	25 pc(s).	
Type	KRN-M8/-240	Version
Order No.	1495480000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304756	
Qty.	25 pc(s).	
Type	KRN-M10/-240	Version
Order No.	1495490000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118305050	
Qty.	25 pc(s).	
Type	KRN-M20/-240	Version
Order No.	1495520000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118305104	
Qty.	25 pc(s).	
Type	KRN-M16/-240	Version
Order No.	1495510000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304770	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M10/-185	Version
Order No.	1493420000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303322	
Qty.	25 pc(s).	
Type	KQN-M16/-185	Version
Order No.	1493440000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303414	
Qty.	25 pc(s).	
Type	KQN-M20/-185	Version
Order No.	1493450000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303544	
Qty.	25 pc(s).	
Type	KQN-M12/-185	Version
Order No.	1493430000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303308	
Qty.	25 pc(s).	

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M16/-240	Version
Order No.	1498420000	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118307825	
Qty.	20 pc(s).	

ES APG 80 HEX 70


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M20/-240	Version
Order No.	1498430000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307832	
Qty.	20 pc(s).	
Type	KP-M14/-240	Version
Order No.	1498530000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307689	
Qty.	20 pc(s).	
Type	KP-M10/-240	Version
Order No.	1498390000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307818	
Qty.	20 pc(s).	
Type	KP-M12/-240	Version
Order No.	1498410000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307672	
Qty.	20 pc(s).	

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-120	Version
Order No.	1494780000	cable lug, terminal end,120 mm ² ,120 mm ² ,None
GTIN (EAN)	4050118304282	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M10/-120 S	Version
Order No.	1494920000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304626	
Qty.	10 pc(s).	
Type	KRN-M12/-120 S	Version
Order No.	1494930000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304602	
Qty.	10 pc(s).	
Type	KRN-M6/-120 S	Version
Order No.	1494410000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304060	
Qty.	10 pc(s).	
Type	KRN-M8/-120 S	Version
Order No.	1494420000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304077	
Qty.	10 pc(s).	

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M10/-70 90	Version
Order No.	1496030000	cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118305432	
Qty.	25 pc(s).	

ES APG 80 HEX 70


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KWN-M12/-70 90	Version
Order No.	1496040000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305463	
Qty.	25 pc(s).	
Type	KWN-M16/-70 90	Version
Order No.	1496050000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305708	
Qty.	25 pc(s).	
Type	KWN-M20/-70 90	Version
Order No.	1496070000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305661	
Qty.	25 pc(s).	
Type	KWN-M6/-70 90	Version
Order No.	1496010000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305609	
Qty.	25 pc(s).	
Type	KWN-M8/-70 90	Version
Order No.	1496020000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305180	
Qty.	25 pc(s).	
Type	KWN-M14/-70 90	Version
Order No.	1494660000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304183	
Qty.	25 pc(s).	

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VSTN/-70	Version
Order No.	1494760000	cable lug, terminal end,70 mm ² ,70 mm ² ,None
GTIN (EAN)	4050118304299	
Qty.	50 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M8/-150 S	Version
Order No.	1494940000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304701	
Qty.	10 pc(s).	
Type	KRN-M12/-150 S	Version
Order No.	1494970000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304459	
Qty.	10 pc(s).	
Type	KRN-M10/-150 S	Version
Order No.	1494950000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304473	
Qty.	10 pc(s).	
Type	KRN-M6/-150 S	Version
Order No.	1494440000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118303964	
Qty.	10 pc(s).	

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-25	Version
Order No.	1492910000	cable lug, terminal end, 25 mm ² , 25 mm ² , None
GTIN (EAN)	4050118302646	
Qty.	100 pc(s).	


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-10	Version	
Order No.	1492780000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302806		
Qty.	100 pc(s).		

150 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-150	Version	
Order No.	1497380000		cable lug, terminal end, 150 mm ² , 150 mm ² , None
GTIN (EAN)	4050118306958		
Qty.	25 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/70	Version	
Order No.	1493080000		cable lug, terminal end,70 mm ² ,70 mm ² ,None
GTIN (EAN)	4050118302967		
Qty.	50 pc(s).		

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-240	Version	
Order No.	1497400000		cable lug, terminal end,240 mm ² ,240 mm ² ,None
GTIN (EAN)	4050118306965		
Qty.	25 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-10 90	Version	
Order No.	1497430000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306927		
Qty.	100 pc(s).		

Type	KWPN-M6/-10 90	Version	
Order No.	1497420000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307023		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-25	Version	
Order No.	1492800000		cable lug, terminal end, 25 mm ² , 25 mm ²
GTIN (EAN)	4050118302592		
Qty.	50 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M16/-185 S	Version	
Order No.	1495000000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304367		
Qty.	10 pc(s).		
Type	KRN-M10/-185 S	Version	
Order No.	1494980000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304497		
Qty.	10 pc(s).		
Type	KRN-M12/-185 S	Version	
Order No.	1494990000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304169		
Qty.	10 pc(s).		

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M10/-70	Version	
Order No.	1498140000		cable lug, terminal end, 70 mm ²
GTIN (EAN)	4050118307429		
Qty.	50 pc(s).		
Type	KP-M16/-70	Version	
Order No.	1498160000		cable lug, terminal end, 70 mm ²
GTIN (EAN)	4050118307481		
Qty.	50 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M12/-70	Version
Order No.	1498150000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307467	
Qty.	50 pc(s).	
Type	KP-M8/-70	Version
Order No.	1498130000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307351	
Qty.	50 pc(s).	
Type	KP-M14/-70	Version
Order No.	1498560000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307696	
Qty.	50 pc(s).	
Type	KP-M20/-70	Version
Order No.	1498170000	cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118307344	
Qty.	50 pc(s).	

300 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M16/-300	Version
Order No.	1495550000	cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118304978	
Qty.	20 pc(s).	
Type	KRN-M12/-300	Version
Order No.	1495540000	cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118305098	
Qty.	20 pc(s).	
Type	KRN-M10/-300	Version
Order No.	1495530000	cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118305210	
Qty.	20 pc(s).	
Type	KRN-M14/-300	Version
Order No.	1497280000	cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118306903	
Qty.	20 pc(s).	
Type	KRN-M20/-300	Version
Order No.	1497240000	cable lug, terminal end,300 mm ² ,300 mm ² - 300 mm ²
GTIN (EAN)	4050118306774	
Qty.	20 pc(s).	

Creation date July 10, 2025 6:15:22 PM CEST

Catalogue status 04.07.2025 / We reserve the right to make technical changes.

25

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M16/-240 S	Version	
Order No.	1494370000		cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118304046		
Qty.	5 pc(s).		
Type	KRN-M12/-240 S	Version	
Order No.	1494350000		cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118303933		
Qty.	5 pc(s).		
Type	KRN-M10/-240 S	Version	
Order No.	1494340000		cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118304039		
Qty.	5 pc(s).		

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M10/-150	Version	
Order No.	1498310000		cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307801		
Qty.	25 pc(s).		
Type	VPN/-10	Version	
Order No.	1498620000		cable lug, terminal end, 10 mm ² , 10 mm ² , None
GTIN (EAN)	4050118308136		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M5/-10	Version	
Order No.	1492680000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302479		
Qty.	100 pc(s).		
Type	KQNG-M6/-10	Version	
Order No.	1492690000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302394		
Qty.	100 pc(s).		

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M20/-120 90	Version	
Order No.	1497780000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307191		
Qty.	25 pc(s).		
Type	KWPN-M12/-120 90	Version	
Order No.	1497760000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307184		
Qty.	25 pc(s).		
Type	KWPN-M10/-120 90	Version	
Order No.	1497750000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307061		
Qty.	25 pc(s).		

ES APG 80 HEX 70


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWPN-M16/120 90	Version	
Order No.	1497770000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307030		
Qty.	25 pc(s).		

150 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KQN-M20/-150	Version	
Order No.	1493410000		cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118303056		
Qty.	25 pc(s).		
Type	KQN-M10/-150	Version	
Order No.	1493370000		cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118303117		
Qty.	25 pc(s).		
Type	KQN-M12/-150	Version	
Order No.	1493380000		cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118303520		
Qty.	25 pc(s).		
Type	KQN-M16/-150	Version	
Order No.	1493390000		cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118303094		
Qty.	25 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

300 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M10/-300	Version	
Order No.	1498440000		cable lug, terminal end,300 mm ²
GTIN (EAN)	4050118307764		
Qty.	10 pc(s).		

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-25	Version	
Order No.	1494730000		cable lug, terminal end,25 mm ² ,25 mm ² ,None
GTIN (EAN)	4050118304275		
Qty.	50 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-120	Version	
Order No.	1492960000	cable lug, terminal end, 120 mm ² , 120 mm ² , None	
GTIN (EAN)	4050118302936		
Qty.	50 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-25 45	Version	
Order No.	1496210000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305715		
Qty.	100 pc(s).		
Type	KWN-M6/-25 45	Version	
Order No.	1496180000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305876		
Qty.	100 pc(s).		
Type	KWN-M8/-25 45	Version	
Order No.	1496190000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²	
GTIN (EAN)	4050118306231		
Qty.	100 pc(s).		
Type	KWN-M10/-25 45	Version	
Order No.	1496200000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305593		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M8/-25	Version	
Order No.	1497980000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307528		
Qty.	100 pc(s).		
Type	KP-M10/-25	Version	
Order No.	1497990000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307535		
Qty.	100 pc(s).		
Type	KP-M16/-25	Version	
Order No.	1498010000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307443		
Qty.	100 pc(s).		
Type	KP-M6/-25	Version	
Order No.	1497970000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307412		
Qty.	100 pc(s).		
Type	KP-M12/-25	Version	
Order No.	1498000000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307504		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories


185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-185 45	Version	
Order No.	1495350000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118305012		
Qty.	20 pc(s).		
Type	KWN-M10/-185 45	Version	
Order No.	1495340000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304589		
Qty.	20 pc(s).		
Type	KWN-M20/-185 45	Version	
Order No.	1495380000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118305135		
Qty.	20 pc(s).		
Type	KWN-M16/-185 45	Version	
Order No.	1495370000		cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118305074		
Qty.	20 pc(s).		

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-70	Version	
Order No.	1495570000		cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118304992		
Qty.	25 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KRN-M20/-70	Version
Order No.	1495590000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305302	
Qty.	25 pc(s).	
Type	KRN-M10/-70	Version
Order No.	1496670000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305845	
Qty.	25 pc(s).	
Type	KRN-M6/-70	Version
Order No.	1496640000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305951	
Qty.	25 pc(s).	
Type	KRN-M8/-70	Version
Order No.	1496650000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305791	
Qty.	25 pc(s).	
Type	KRN-M16/-70	Version
Order No.	1495580000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305340	
Qty.	25 pc(s).	
Type	KRN-M14/-70	Version
Order No.	1495770000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305166	
Qty.	25 pc(s).	

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-120	Version
Order No.	1498690000	cable lug, terminal end,120 mm ² ,120 mm ² ,None
GTIN (EAN)	4050118307795	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-240	Version	
Order No.	1498730000		cable lug, terminal end,240 mm ² ,240 mm ² ,None
GTIN (EAN)	4050118308044		
Qty.	15 pc(s).		

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

General ordering data

Type	APG 80	Version	
Order No.	1502390000		6mm ² , 400mm ²
GTIN (EAN)	4050118310627		
Qty.	1 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

150 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-150	Version	
Order No.	1492970000		cable lug, terminal end, 150 mm ² , 150 mm ² , None
GTIN (EAN)	4050118302912		
Qty.	50 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-25	Version	
Order No.	1495830000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305562		
Qty.	100 pc(s).		
Type	KRN-M12/-25	Version	
Order No.	1496520000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118306163		
Qty.	100 pc(s).		
Type	KRN-M6/-25	Version	
Order No.	1496490000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305784		
Qty.	100 pc(s).		
Type	KRN-M14/-25	Version	
Order No.	1496530000		cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305883		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-25	Version
Order No.	1496510000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305814	
Qty.	100 pc(s).	
Type	KRN-M8/-25	Version
Order No.	1496500000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305975	
Qty.	100 pc(s).	

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M20/-240 90	Version
Order No.	1496750000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306095	
Qty.	20 pc(s).	
Type	KWPN-M16/-240 90	Version
Order No.	1496740000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306507	
Qty.	20 pc(s).	
Type	KWPN-M12/-240 90	Version
Order No.	1496730000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306279	
Qty.	20 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/120	Version	
Order No.	1493110000		cable lug, terminal end, 120 mm ² , 120 mm ² , None
GTIN (EAN)	4050118302813		
Qty.	50 pc(s).		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VSTN/10	Version	
Order No.	1493030000		cable lug, terminal end, 10 mm ² , 10 mm ² , None
GTIN (EAN)	4050118302776		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-70 S	Version
Order No.	1494880000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304435	
Qty.	25 pc(s).	
Type	KRN-M6/-70 S	Version
Order No.	1494850000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304152	
Qty.	25 pc(s).	
Type	KRN-M10/-70 S	Version
Order No.	1494870000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304503	
Qty.	25 pc(s).	
Type	KRN-M8/-70 S	Version
Order No.	1494860000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304527	
Qty.	25 pc(s).	

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M8/-120	Version
Order No.	1495790000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305401	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M14/-120	Version
Order No.	1495800000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305616	
Qty.	25 pc(s).	
Type	KRN-M16/-120	Version
Order No.	1495680000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305272	
Qty.	25 pc(s).	
Type	KRN-M20/-120	Version
Order No.	1495690000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305524	
Qty.	25 pc(s).	
Type	KRN-M12/-120	Version
Order No.	1495670000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305258	
Qty.	25 pc(s).	
Type	KRN-M10/-120	Version
Order No.	1495650000	cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305289	
Qty.	25 pc(s).	

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-10	Version
Order No.	1497880000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307283	
Qty.	100 pc(s).	
Type	KP-M8/-10	Version
Order No.	1497890000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307573	
Qty.	100 pc(s).	
Type	KP-M10/-10	Version
Order No.	1497910000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307276	
Qty.	100 pc(s).	
Type	KP-M5/-10	Version
Order No.	1497870000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307252	
Qty.	100 pc(s).	

Creation date July 10, 2025 6:15:22 PM CEST

Catalogue status 04.07.2025 / We reserve the right to make technical changes.

39

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-10	Version	
Order No.	1492890000	cable lug, terminal end, 10 mm ² , 10 mm ² , None	
GTIN (EAN)	4050118302561		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M12/-25 90	Version	
Order No.	1497530000	cable lug, terminal end, 25 mm ²	
GTIN (EAN)	4050118307108		
Qty.	100 pc(s).		
Type	KWPN-M8/-25 90	Version	
Order No.	1497510000	cable lug, terminal end, 25 mm ²	
GTIN (EAN)	4050118306972		
Qty.	100 pc(s).		
Type	KWPN-M6/-25 90	Version	
Order No.	1497490000	cable lug, terminal end, 25 mm ²	
GTIN (EAN)	4050118306668		
Qty.	100 pc(s).		
Type	KWPN-M10/-25 90	Version	
Order No.	1497520000	cable lug, terminal end, 25 mm ²	
GTIN (EAN)	4050118306989		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M8/-150 90	Version
Order No.	1497790000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307085	
Qty.	25 pc(s).	
Type	KWPN-M16/-150 90	Version
Order No.	1497830000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307160	
Qty.	25 pc(s).	
Type	KWPN-M10/-150 90	Version
Order No.	1497810000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307221	
Qty.	25 pc(s).	
Type	KWPN-M12/-150 90	Version
Order No.	1497820000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118307306	
Qty.	25 pc(s).	
Type	KWPN-M20/150 90	Version
Order No.	1496680000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118306088	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/25	Version	
Order No.	1493050000	cable lug, terminal end, 25 mm ² , 25 mm ² , None	
GTIN (EAN)	4050118302783		
Qty.	100 pc(s).		

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VSTN/-10	Version	
Order No.	1497130000	cable lug, terminal end, 10 mm ² , 10 mm ² , None	
GTIN (EAN)	4050118306491		
Qty.	50 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M5/-25	Version
Order No.	1494120000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303827	
Qty.	50 pc(s).	
Type	KQN-M12/-25	Version
Order No.	1494160000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303902	
Qty.	50 pc(s).	
Type	KQN-M10/-25	Version
Order No.	1494150000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303865	
Qty.	50 pc(s).	
Type	KQN-M16/-25	Version
Order No.	1493490000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303148	
Qty.	50 pc(s).	
Type	KQN-M8/-25	Version
Order No.	1494140000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303872	
Qty.	50 pc(s).	
Type	KQN-M6/-25	Version
Order No.	1494130000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303858	
Qty.	50 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M20/-240 90	Version
Order No.	1494630000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304138	
Qty.	25 pc(s).	
Type	KWN-M16/-240 90	Version
Order No.	1494620000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304237	
Qty.	25 pc(s).	
Type	KWN-M12/-240 90	Version
Order No.	1494610000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304244	
Qty.	25 pc(s).	
Type	KWN-M10/-240 90	Version
Order No.	1494590000	cable lug, terminal end,240 mm ² ,240 mm ² - 240 mm ²
GTIN (EAN)	4050118304145	
Qty.	25 pc(s).	

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-25 90	Version
Order No.	1495850000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305456	
Qty.	100 pc(s).	

ES APG 80 HEX 70


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M14/-25 90	Version
Order No.	1495900000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305517	
Qty.	100 pc(s).	
Type	KWN-M12/-25 90	Version
Order No.	1495890000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305647	
Qty.	100 pc(s).	
Type	KWN-M8/-25 90	Version
Order No.	1495870000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305470	
Qty.	100 pc(s).	
Type	KWN-M10/-25 90	Version
Order No.	1495880000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305449	
Qty.	100 pc(s).	

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-70 45	Version
Order No.	1496310000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305944	
Qty.	25 pc(s).	
Type	KWN-M12/-70 45	Version
Order No.	1496330000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305586	
Qty.	25 pc(s).	
Type	KWN-M10/-70 45	Version
Order No.	1496320000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118306255	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-150 45	Version
Order No.	1496430000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118306071	
Qty.	25 pc(s).	
Type	KWN-M10/-150 45	Version
Order No.	1496440000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305777	
Qty.	25 pc(s).	
Type	KWN-M12/-150 45	Version
Order No.	1496450000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305906	
Qty.	25 pc(s).	
Type	KWN-M20/-150 45	Version
Order No.	1496480000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118305739	
Qty.	25 pc(s).	
Type	KWN-M16/-150 45	Version
Order No.	1496470000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118306132	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M10/-240	Version	
Order No.	1493460000		cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118303230		
Qty.	25 pc(s).		
Type	KQN-M16/-240	Version	
Order No.	1493480000		cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118303209		
Qty.	25 pc(s).		
Type	KQN-M12/-240	Version	
Order No.	1493470000		cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118303551		
Qty.	25 pc(s).		

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/16	Version	
Order No.	1493040000		cable lug, terminal end,16 mm ² ,16 mm ² ,None
GTIN (EAN)	4050118302981		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M14/-185	Version
Order No.	1497250000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118306880	
Qty.	25 pc(s).	
Type	KRN-M16/-185	Version
Order No.	1495450000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118305036	
Qty.	25 pc(s).	
Type	KRN-M10/-185	Version
Order No.	1495430000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304985	
Qty.	25 pc(s).	
Type	KRN-M20/-185	Version
Order No.	1495470000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118305005	
Qty.	25 pc(s).	
Type	KRN-M8/-185	Version
Order No.	1497290000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118306897	
Qty.	25 pc(s).	
Type	KRN-M12/-185	Version
Order No.	1495440000	cable lug, terminal end, 185 mm ² , 185 mm ² - 185 mm ²
GTIN (EAN)	4050118304947	
Qty.	25 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

16 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-16	Version	
Order No.	1492790000		cable lug, terminal end, 16 mm ² , 16 mm ²
GTIN (EAN)	4050118302745		
Qty.	100 pc(s).		

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M20/-120	Version	
Order No.	1493360000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303063		
Qty.	25 pc(s).		
Type	KQN-M10/-120	Version	
Order No.	1493330000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303070		
Qty.	25 pc(s).		
Type	KQN-M12/-120	Version	
Order No.	1493340000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118302998		
Qty.	25 pc(s).		
Type	KQN-M16/-120	Version	
Order No.	1493350000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303100		
Qty.	25 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KQN-M8/-120	Version	
Order No.	1493320000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303186		
Qty.	25 pc(s).		

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/150	Version	
Order No.	1493120000		cable lug, terminal end, 150 mm ² , 150 mm ² , None
GTIN (EAN)	4050118302905		
Qty.	50 pc(s).		

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-185	Version	
Order No.	1498720000		cable lug, terminal end, 185 mm ² , 185 mm ² , None
GTIN (EAN)	4050118308051		
Qty.	25 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M20/-240 45	Version	
Order No.	1495420000	Version	cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118305234		
Qty.	15 pc(s).		
Type	KWN-M16/-240 45	Version	
Order No.	1495410000	Version	cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118305203		
Qty.	15 pc(s).		
Type	KWN-M12/-240 45	Version	
Order No.	1495400000	Version	cable lug, terminal end, 240 mm ² , 240 mm ² - 240 mm ²
GTIN (EAN)	4050118305227		
Qty.	15 pc(s).		

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-150 90	Version	
Order No.	1494510000	Version	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304305		
Qty.	25 pc(s).		
Type	KWN-M20/-150 90	Version	
Order No.	1494530000	Version	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304206		
Qty.	25 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M10/150 90	Version
Order No.	1494500000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118303896	
Qty.	25 pc(s).	
Type	KWN-M8/-150 90	Version
Order No.	1494490000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118304107	
Qty.	25 pc(s).	
Type	KWN-M16/-150 90	Version
Order No.	1494520000	cable lug, terminal end, 150 mm ² , 150 mm ² - 150 mm ²
GTIN (EAN)	4050118303995	
Qty.	25 pc(s).	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KWN-M6/16 90	Version
Order No.	1497090000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306743	
Qty.	100 pc(s).	
Type	KWN-M10/-16 90	Version
Order No.	1497110000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306705	
Qty.	100 pc(s).	
Type	KWN-M5/-16 90	Version
Order No.	1497080000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306392	
Qty.	100 pc(s).	
Type	KWN-M8/-16 90	Version
Order No.	1497100000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306804	
Qty.	100 pc(s).	
Type	KWN-M12/-16 90	Version
Order No.	1497120000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306736	
Qty.	100 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-10 90	Version
Order No.	1497040000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306576	
Qty.	100 pc(s).	
Type	KWN-M6/-10 90	Version
Order No.	1497030000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306484	
Qty.	100 pc(s).	
Type	KWN-M10/-10 90	Version
Order No.	1497050000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306750	
Qty.	100 pc(s).	
Type	KWN-M5/-10 90	Version
Order No.	1497020000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306712	
Qty.	100 pc(s).	
Type	KWN-M12/-10 90	Version
Order No.	1497070000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306606	
Qty.	100 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-185	Version	
Order No.	1497390000	Version	cable lug, terminal end, 185 mm ² , 185 mm ² , None
GTIN (EAN)	4050118306798		
Qty.	25 pc(s).		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KWN-M8/-10 45	Version	
Order No.	1496830000	Version	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306330		
Qty.	100 pc(s).		
Type	KWN-M6/-10 45	Version	
Order No.	1496820000	Version	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306286		
Qty.	100 pc(s).		
Type	KWN-M5/-10 45	Version	
Order No.	1496810000	Version	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306309		
Qty.	100 pc(s).		
Type	KWN-M10/-10 45	Version	
Order No.	1496840000	Version	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306361		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M8/-120	Version
Order No.	1498480000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307900	
Qty.	50 pc(s).	
Type	KP-M14/-120	Version
Order No.	1498490000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307771	
Qty.	50 pc(s).	
Type	KP-M10/-120	Version
Order No.	1498240000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307368	
Qty.	50 pc(s).	
Type	KP-M20/-120	Version
Order No.	1498280000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307702	
Qty.	50 pc(s).	
Type	KP-M12/-120	Version
Order No.	1498250000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307627	
Qty.	50 pc(s).	
Type	KP-M16/-120	Version
Order No.	1498270000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307580	
Qty.	50 pc(s).	


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-70	Version	
Order No.	1492830000	cable lug, terminal end,70 mm ² ,70 mm ²	
GTIN (EAN)	4050118302585		
Qty.	50 pc(s).		

16 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VPN/-16	Version	
Order No.	1498630000	cable lug, terminal end,16 mm ² ,16 mm ² ,None	
GTIN (EAN)	4050118307856		
Qty.	100 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M8/-70	Version	
Order No.	1493210000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118302875		
Qty.	50 pc(s).		
Type	KQN-M10/-70	Version	
Order No.	1493220000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118302882		
Qty.	50 pc(s).		
Type	KQN-M6/-70	Version	
Order No.	1493190000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118303261		
Qty.	50 pc(s).		
Type	KQN-M12/-70	Version	
Order No.	1493230000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118303032		
Qty.	50 pc(s).		
Type	KQN-M16/-70	Version	
Order No.	1493240000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118303131		
Qty.	50 pc(s).		
Type	KQN-M20/-70	Version	
Order No.	1493250000		cable lug, terminal end,70 mm ²
GTIN (EAN)	4050118303087		
Qty.	50 pc(s).		

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-16 90	Version	
Order No.	1497440000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306644		
Qty.	100 pc(s).		
Type	KWPN-M12/-16 90	Version	
Order No.	1497480000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306866		
Qty.	100 pc(s).		
Type	KWPN-M8/-16 90	Version	
Order No.	1497450000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118306873		
Qty.	100 pc(s).		
Type	KWPN-M10/-16 90	Version	
Order No.	1497470000		cable lug, terminal end, 16 mm ²
GTIN (EAN)	4050118307016		
Qty.	100 pc(s).		

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-16	Version	
Order No.	1497010000		cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306538		
Qty.	100 pc(s).		


ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-16	Version
Order No.	1497000000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306460	
Qty.	100 pc(s).	
Type	KRN-M5/-16	Version
Order No.	1496970000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306569	
Qty.	100 pc(s).	
Type	KRN-M6/-16	Version
Order No.	1496980000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306583	
Qty.	100 pc(s).	
Type	KRN-M8/-16	Version
Order No.	1496990000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306514	
Qty.	100 pc(s).	

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-70	Version
Order No.	1498670000	cable lug, terminal end, 70 mm ² , 70 mm ² , None
GTIN (EAN)	4050118308020	
Qty.	50 pc(s).	

ES APG 80 HEX 70

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-25	Version	
Order No.	1498640000	cable lug, terminal end, 25 mm ² , 25 mm ² , None	
GTIN (EAN)	4050118308013		
Qty.	100 pc(s).		

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M12/-10	Version	
Order No.	1494060000	cable lug, terminal end, 10 mm ²	
GTIN (EAN)	4050118304008		
Qty.	100 pc(s).		
Type	KQN-M8/-10	Version	
Order No.	1494040000	cable lug, terminal end, 10 mm ²	
GTIN (EAN)	4050118303803		
Qty.	100 pc(s).		
Type	KQN-M4/-10	Version	
Order No.	1494010000	cable lug, terminal end, 10 mm ²	
GTIN (EAN)	4050118303810		
Qty.	100 pc(s).		
Type	KQN-M6/-10	Version	
Order No.	1494030000	cable lug, terminal end, 10 mm ²	
GTIN (EAN)	4050118303483		
Qty.	100 pc(s).		

ES APG 80 HEX 70


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KQN-M5/-10	Version	
Order No.	1494020000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303681		
Qty.	100 pc(s).		
Type	KQN-M10/-10	Version	
Order No.	1494050000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303711		
Qty.	100 pc(s).		

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-70	Version	
Order No.	1492940000		cable lug, terminal end, 70 mm ² , 70 mm ² , None
GTIN (EAN)	4050118302738		
Qty.	100 pc(s).		