


**ES EPG/HPG 60 WM 35****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Similar to illustration****Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

**General ordering data**

|            |                                                    |
|------------|----------------------------------------------------|
| Version    | Crimping tool insert, 35mm <sup>2</sup> , WM crimp |
| Order No.  | <a href="#">2469570000</a>                         |
| Type       | ES EPG/HPG 60 WM 35                                |
| GTIN (EAN) | 4050118483826                                      |
| Qty.       | 1 pc(s).                                           |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |       |                 |            |
|------------|-------|-----------------|------------|
| Depth      | 22 mm | Depth (inches)  | 0.866 inch |
| Height     | 42 mm | Height (inches) | 1.654 inch |
| Width      | 42 mm | Width (inches)  | 1.654 inch |
| Net weight | 142 g |                 |            |

## Crimp inserts

|                            |    |                |      |
|----------------------------|----|----------------|------|
| Crimp cross-section copper | 35 | Crimping width | 5 mm |
| Crimping width in mm       | 5  |                |      |

## Description of contact

|                                   |                    |                                   |                       |
|-----------------------------------|--------------------|-----------------------------------|-----------------------|
| Conductor cross-section, max. AWG | 2                  | Conductor cross-section, min. AWG | 2                     |
| Crimping range, max.              | 35 mm <sup>2</sup> | Type of contact                   | Euro series cable lug |

## tool data crimping

|                         |          |                    |
|-------------------------|----------|--------------------|
| Cable lug cross section | nominal  | 35 mm <sup>2</sup> |
| Crimping type/profile   | WM crimp |                    |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001282    | ETIM 7.0    | EC001282    |
| ETIM 8.0    | EC001282    | ETIM 9.0    | EC001282    |
| ETIM 10.0   | EC001282    | ECLASS 9.0  | 21-04-90-90 |
| ECLASS 9.1  | 21-01-90-90 | ECLASS 10.0 | 21-04-90-90 |
| ECLASS 11.0 | 21-04-90-90 | ECLASS 12.0 | 21-04-90-90 |
| ECLASS 13.0 | 21-04-90-90 | ECLASS 14.0 | 21-04-90-90 |
| ECLASS 15.0 | 21-04-90-90 |             |             |

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## Downloads

|            |                                          |
|------------|------------------------------------------|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
|------------|------------------------------------------|

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                                       |
|------------|----------------------------|---------------------------------------------------------------------------------------|
| Type       | KWN-M6/-35 45              | Version                                                                               |
| Order No.  | <a href="#">1496220000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305852              |                                                                                       |
| Qty.       | 50 pc(s).                  |                                                                                       |
| Type       | KWN-M10/-35 45             | Version                                                                               |
| Order No.  | <a href="#">1496240000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306217              |                                                                                       |
| Qty.       | 50 pc(s).                  |                                                                                       |
| Type       | KWN-M8/-35 45              | Version                                                                               |
| Order No.  | <a href="#">1496230000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305968              |                                                                                       |
| Qty.       | 50 pc(s).                  |                                                                                       |
| Type       | KWN-M12/-35 45             | Version                                                                               |
| Order No.  | <a href="#">1496250000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306002              |                                                                                       |
| Qty.       | 50 pc(s).                  |                                                                                       |

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                         |
|------------|----------------------------|-------------------------------------------------------------------------|
| Type       | VPN/-35                    | Version                                                                 |
| Order No.  | <a href="#">1498650000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> , None |
| GTIN (EAN) | 4050118308143              |                                                                         |
| Qty.       | 100 pc(s).                 |                                                                         |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                                       |
|------------|----------------------------|---------------------------------------------------------------------------------------|
| Type       | KWN-M6/-35 90              | Version                                                                               |
| Order No.  | <a href="#">1495910000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305418              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KWN-M12/-35 90             | Version                                                                               |
| Order No.  | <a href="#">1495940000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305623              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KWN-M14/-35 90             | Version                                                                               |
| Order No.  | <a href="#">1494640000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304350              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KWN-M8/-35 90              | Version                                                                               |
| Order No.  | <a href="#">1495920000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305548              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KWN-M10/-35 90             | Version                                                                               |
| Order No.  | <a href="#">1495930000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305173              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KWN-M16/-35 90             | Version                                                                               |
| Order No.  | <a href="#">1494690000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304268              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                         |
|------------|----------------------------|-------------------------------------------------------------------------|
| Type       | VSTN/35                    | Version                                                                 |
| Order No.  | <a href="#">1493060000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> , None |
| GTIN (EAN) | 4050118302943              |                                                                         |
| Qty.       | 100 pc(s).                 |                                                                         |

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                         |
|------------|----------------------------|-------------------------------------------------------------------------|
| Type       | VPLN/-35                   | Version                                                                 |
| Order No.  | <a href="#">1492920000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> , None |
| GTIN (EAN) | 4050118302752              |                                                                         |
| Qty.       | 100 pc(s).                 |                                                                         |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                                       |
|------------|----------------------------|---------------------------------------------------------------------------------------|
| Type       | KRN-M10/-35                | Version                                                                               |
| Order No.  | <a href="#">1496570000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305920              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KRN-M8/-35                 | Version                                                                               |
| Order No.  | <a href="#">1496550000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118305913              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KRN-M6/-35                 | Version                                                                               |
| Order No.  | <a href="#">1496540000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306156              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |
| Type       | KRN-M12/-35                | Version                                                                               |
| Order No.  | <a href="#">1496580000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306019              |                                                                                       |
| Qty.       | 100 pc(s).                 |                                                                                       |

## Tools



**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

## General ordering data

|            |                            |                                                                                  |
|------------|----------------------------|----------------------------------------------------------------------------------|
| Type       | HPG 60                     | Version                                                                          |
| Order No.  | <a href="#">2453820000</a> | 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, WM crimp, Indent crimp, |
| GTIN (EAN) | 4050118468427              | Trapezoidal crimp, Oval crimping                                                 |
| Qty.       | 1 pc(s).                   |                                                                                  |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                                                                       |
|------------|----------------------------|---------------------------------------------------------------------------------------|
| Type       | KRN-M6/-35 S               | Version                                                                               |
| Order No.  | <a href="#">1494790000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304466              |                                                                                       |
| Qty.       | 25 pc(s).                  |                                                                                       |
| Type       | KRN-M8/-35 S               | Version                                                                               |
| Order No.  | <a href="#">1494810000</a> | cable lug, terminal end, 35 mm <sup>2</sup> , 35 mm <sup>2</sup> - 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118304374              |                                                                                       |
| Qty.       | 25 pc(s).                  |                                                                                       |

## Tools



**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

## General ordering data

|            |                            |                                                                                                |
|------------|----------------------------|------------------------------------------------------------------------------------------------|
| Type       | EPG 60                     | Version                                                                                        |
| Order No.  | <a href="#">2453810000</a> | Pressing tools, Tools, Pressing tool, 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, |
| GTIN (EAN) | 4050118468434              | WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping                                       |
| Qty.       | 1 pc(s).                   |                                                                                                |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG


Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                             |
|------------|----------------------------|---------------------------------------------|
| Type       | KWPN-M10/-35 90            | Version                                     |
| Order No.  | <a href="#">1497570000</a> | cable lug, terminal end, 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307153              |                                             |
| Qty.       | 100 pc(s).                 |                                             |
| Type       | KWPN-M12/-35 90            | Version                                     |
| Order No.  | <a href="#">1497580000</a> | cable lug, terminal end, 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306682              |                                             |
| Qty.       | 100 pc(s).                 |                                             |
| Type       | KWPN-M8/-35 90             | Version                                     |
| Order No.  | <a href="#">1497550000</a> | cable lug, terminal end, 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307146              |                                             |
| Qty.       | 100 pc(s).                 |                                             |
| Type       | KWPN-M6/-35 90             | Version                                     |
| Order No.  | <a href="#">1497540000</a> | cable lug, terminal end, 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118306996              |                                             |
| Qty.       | 100 pc(s).                 |                                             |

35 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                             |
|------------|----------------------------|---------------------------------------------|
| Type       | KP-M8/-35                  | Version                                     |
| Order No.  | <a href="#">1498030000</a> | cable lug, terminal end, 35 mm <sup>2</sup> |
| GTIN (EAN) | 4050118307511              |                                             |
| Qty.       | 100 pc(s).                 |                                             |



## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                 |
|------------|----------------------------|---------------------------------|
| Type       | KP-M16/-35                 | Version                         |
| Order No.  | <a href="#">1498060000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118307382              |                                 |
| Qty.       | 100 pc(s).                 |                                 |
| Type       | KP-M10/-35                 | Version                         |
| Order No.  | <a href="#">1498040000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118307337              |                                 |
| Qty.       | 100 pc(s).                 |                                 |
| Type       | KP-M6/-35                  | Version                         |
| Order No.  | <a href="#">1498020000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118307313              |                                 |
| Qty.       | 100 pc(s).                 |                                 |
| Type       | KP-M12/-35                 | Version                         |
| Order No.  | <a href="#">1498050000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118307320              |                                 |
| Qty.       | 100 pc(s).                 |                                 |

## 35 mm²



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                 |
|------------|----------------------------|---------------------------------|
| Type       | KQN-M10/-35                | Version                         |
| Order No.  | <a href="#">1494190000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118303780              |                                 |
| Qty.       | 50 pc(s).                  |                                 |
| Type       | KQN-M12/-35                | Version                         |
| Order No.  | <a href="#">1493130000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118302837              |                                 |
| Qty.       | 50 pc(s).                  |                                 |
| Type       | KQN-M8/-35                 | Version                         |
| Order No.  | <a href="#">1494180000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304022              |                                 |
| Qty.       | 50 pc(s).                  |                                 |
| Type       | KQN-M20/-35                | Version                         |
| Order No.  | <a href="#">1493520000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118303124              |                                 |
| Qty.       | 50 pc(s).                  |                                 |
| Type       | KQN-M6/-35                 | Version                         |
| Order No.  | <a href="#">1494170000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118304015              |                                 |
| Qty.       | 50 pc(s).                  |                                 |

## ES EPG/HPG 60 WM 35

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                 |
|------------|----------------------------|---------------------------------|
| Type       | KQN-M16/-35                | Version                         |
| Order No.  | <a href="#">1493140000</a> | cable lug, terminal end, 35 mm² |
| GTIN (EAN) | 4050118302851              |                                 |
| Qty.       | 50 pc(s).                  |                                 |

## 35 mm²



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                         |
|------------|----------------------------|-----------------------------------------|
| Type       | KSN/-35                    | Version                                 |
| Order No.  | <a href="#">1492810000</a> | cable lug, terminal end, 35 mm², 35 mm² |
| GTIN (EAN) | 4050118302639              |                                         |
| Qty.       | 50 pc(s).                  |                                         |

## 35 mm²



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

|            |                            |                                               |
|------------|----------------------------|-----------------------------------------------|
| Type       | VSTN/-35                   | Version                                       |
| Order No.  | <a href="#">1494740000</a> | cable lug, terminal end, 35 mm², 35 mm², None |
| GTIN (EAN) | 4050118304428              |                                               |
| Qty.       | 50 pc(s).                  |                                               |