




Product overview

for SIMATIC ET 200pro (I/O, CPU)



SIMATIC ET 200pro

The modular and multifunctional I/O system with IP65/67

SIMATIC ET 200pro is a modular, rugged and versatile I/O system with IP65/67 degree of protection for installation directly at the machine. Various interface modules are available for connection to PROFINET or PROFIBUS in standard and fail-safe design with and without CPU functionality. Due to its rugged design, the ET 200pro system can also be used in applications with increased mechanical loads.

<https://www.siemens.com/et200pro>

Highlights

Extensive module range

ET 200pro is distinguished by an extensive range of modules:

Power modules, digital and analog I/O modules, motor starters, frequency converters and an RFID module enable the most flexible reaction to automation requirements.

Modular, space-saving design

The modules of the ET 200pro are usually designed in two or three parts.

Interface and power modules as well as digital and analog expansion modules consist of:

- A bus connector that forms the backplane bus of the system
- An electronic or interface module
- A connection module

When using the compact module rack, the small footprint of the ET 200pro system is optimally utilized.

CPU functionality

Four fail-safe designs are also available for ET 200pro in addition to the three standard CPUs with tiered performance ratings.

In so doing, the user can select from proven intelligent interface modules with S7-300-CPU's or the distributed controllers of the S7-1500.

Integrated safety technology

SIMATIC Safety Integrated is also in effect for ET 200pro systems directly at the machine. Fail-safe CPUs and IOs as well as an F-switch enable the implementation of safety-related application requirements as an integral part of the overall automation.

- Flexible connection systems.
 - Free selection of the connection system:• Direct connection with cable gland: for up to 16 A electronic load and a conductor cross-section of up to 2.5 mm².
 - ECOFAST (Energy and Communication Field Installation System) – the standardized connection system for cabinet-free distributed configurations from Siemens uses hybrid cables for bus signals and power supply.
 - M12, 7/8": the popular connection system using a common connector standard.

Extensive diagnostic options

ET 200pro offers extensive diagnostic options to lower the downtime of your plant:

- Even the standard modules offer a module diagnostics for short-circuit of the encoder supply or the outputs.
- The High Feature modules offer even more precise diagnostic options through channel diagnostics for short-circuit and wire break. For digital inputs, hardware interrupts can be used for six channels in addition.
- The diagnostic messages are sent as plain text to the higher-level controller.

Selective load group formation

Power modules enable the flexible formation of load groups through backfeeding of the load supply. The same connection systems (direct connection; M12, 7/8"; ECOFAST) can be used as for the power supply of the entire station. Multiple load segments can be integrated into a single station.

Power supply

[Compare technical specifications online](#)

Article number



SIMATIC ET200PRO PS/3AC/24VDC/8A/IP67

6ES7148-4PC00-0HA0

Interface modules

[Compare technical specifications online](#)

Article number

**PROFINET**[Compare technical specifications online](#)

ET 200pro, IM 154-4 PN HF

6ES7154-4AB10-0AB0

ET 200pro, IM 154-3 PN HF

6ES7154-3AB00-0AB0

PROFIBUS DP[Compare technical specifications online](#)

ET 200pro, IM 154-1 DP

6ES7154-1AA01-0AB0

ET 200pro, IM154-2 DP HF

6ES7154-2AA01-0AB0

Ethernet IP[Compare technical specifications online](#)

Ethernet/IP Head Assembly for ET 200PRO

ZNX:EIP200PRO

Central processing units

[Compare technical specifications online](#)

Article number

**PROFINET**[Compare technical specifications online](#)

ET 200pro: IM 154-8 PN/DP CPU, 384KB

6ES7154-8AB01-0AB0

ET 200pro: CPU 1513pro-2 PN

6ES7513-2PM03-0AB0

ET 200pro: CPU 1513pro F-2 PN

6ES7513-2GM03-0AB0

ET 200pro: CPU 1516pro-2 PN

6ES7516-2PP03-0AB0

ET 200pro: CPU 1516pro F-2 PN

6ES7516-2GP03-0AB0

ET 200pro: IM 154-8FX PN/DP CPU, 1,5MB

6ES7154-8FX00-0AB0

ET 200pro: CPU 1513pro-2 PN

6ES7513-2PL00-0AB0

ET 200pro: CPU 1513pro F-2 PN

6ES7513-2GL00-0AB0

ET 200pro: CPU 1516PRO-2 PN

6ES7516-2PN00-0AB0

ET 200pro: CPU 1516PRO F-2 PN

6ES7516-2GN00-0AB0

PROFIBUS DP[Compare technical specifications online](#)

ET 200pro: IM 154-8 PN/DP CPU, 384KB

6ES7154-8AB01-0AB0

ET 200pro: IM 154-8F PN/DP CPU, 512KB

6ES7154-8FB01-0AB0

ET 200pro: IM 154-8FX PN/DP CPU, 1,5MB

6ES7154-8FX00-0AB0

: Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Electronic modules

[Compare technical specifications online](#)

Article number

**Digital inputs**[Compare technical specifications online](#)

ET 200pro, EM 8DI 24V DC	6ES7141-4BF00-0AA0
ET 200pro, EM 8DI 24V DC HF	6ES7141-4BF00-0AB0
ET 200pro, EM 16DI DC 24V	6ES7141-4BH00-0AA0
ET200PRO, EI-Mod., 8/16 F-DI 24V DC	6ES7148-4FA00-0AB0

Digital outputs[Compare technical specifications online](#)

ET 200pro, EM 4DO 24V DC/2.0A	6ES7142-4BD00-0AA0
ET 200pro, EM 4DO 24VDC/2.0A HF	6ES7142-4BD00-0AB0
ET 200pro, EM 8DO DC24V/0.5A	6ES7142-4BF00-0AA0

Digital inputs/outputs[Compare technical specifications online](#)

ET 200pro, EM 4 DIO / 4 DO DC 24V, 0.5A	6ES7143-4BF00-0AA0
ET 200pro, EM 4DI / 4DO DC 24V, 0.5A	6ES7143-4BF50-0AA0
ET200PRO, EI-Mod, 4/8 F-DI/4 F-DO 24VDC/2A	6ES7148-4FC00-0AB0

Analog inputs[Compare technical specifications online](#)

ET 200pro, EM 4AI-U HF	6ES7144-4FF01-0AB0
ET 200pro, EM 4AI-I HF	6ES7144-4GF01-0AB0
ET 200pro, EM 4 AI-RTD HF	6ES7144-4JF00-0AB0
ET 200pro, EM 4 AI-TC HF	6ES7144-4PF00-0AB0

Analog outputs[Compare technical specifications online](#)

ET 200pro, EM 4AO-U HF	6ES7145-4FF00-0AB0
ET 200pro, EM 4 AO-I HF	6ES7145-4GF00-0AB0

Technology modules[Compare technical specifications online](#)

ET 200pro EM 2 Count 24V	6ES7147-4AB00-0AA0
ET 200pro EM 2 SSI	6ES7147-4BB00-0AA0

RFID[Compare technical specifications online](#)

COMMUNICATION MODULE RF170C, RS422/RS232	6GT2002-0HD01
--	---------------

Valve terminal[Compare technical specifications online](#)

ET200PRO, 16DO, Pneumatic Interface CPV10	6ES7148-4EA00-0AA0
ET200PRO, 16DO, Pneumatic Interface CPV14	6ES7148-4EB00-0AA0

IO-Link modules[Compare technical specifications online](#)

ET200pro, EM 4 IO-Link HF	6ES7147-4JD00-0AB0
ET200pro, CM IO-Link 4 X M12 P	6ES7194-4CA20-0AA0

Power modules

[Compare technical specifications online](#)

Article number



ET 200pro, PM-E 24V DC	6ES7148-4CA00-0AA0
ET200PRO, PM-O DC 2x24V	6ES7148-4CA60-0AA0

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

F-Switch

[Compare technical specifications online](#)

Article number



ET200PRO, EI-Mod, F-Switch PROFIsafe

6ES7148-4FS00-0AB0

Shutdown module

[Compare technical specifications online](#)

Article number



ET 200PRO ASM 400V

3RK1304-0HS00-8AA0

Repair switch

[Compare technical specifications online](#)

Article number



ET 200PRO RSM

3RK1304-0HS00-6AA0

Motor starter

[Compare technical specifications online](#)

Article number



Direct starter

[Compare technical specifications online](#)

ET 200PRO DSE HF	3RK1304-5KS40-2AA0
ET 200PRO DSE HF	3RK1304-5KS40-2AA3
ET 200PRO DSE ST	3RK1304-5KS40-4AA0
ET 200PRO DSE ST	3RK1304-5KS40-4AA3
ET 200PRO EDSE/DSSE HF	3RK1304-5KS70-2AA0
ET 200PRO EDSE/DSSE HF	3RK1304-5KS70-2AA3
ET 200PRO DSE HF	3RK1304-5LS40-2AA0
ET 200PRO DSE HF	3RK1304-5LS40-2AA3
ET 200PRO DSE ST	3RK1304-5LS40-4AA0
ET 200PRO DSE ST	3RK1304-5LS40-4AA3
ET 200PRO EDSE/DSSE HF	3RK1304-5LS70-2AA0
ET 200PRO EDSE/DSSE HF	3RK1304-5LS70-2AA3

Reversing starter

[Compare technical specifications online](#)

ET 200PRO RSE HF	3RK1304-5KS40-3AA0
------------------	--------------------

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Motor starter

[Compare technical specifications online](#)

	Article number
ET 200PRO RSE HF	3RK1304-5KS40-3AA3
ET 200PRO RSE ST	3RK1304-5KS40-5AA0
ET 200PRO RSE ST	3RK1304-5KS40-5AA3
ET 200PRO EDSE/DSSE HF	3RK1304-5KS70-3AA0
ET 200PRO EDSE/DSSE HF	3RK1304-5KS70-3AA3
ET 200PRO RSE HF	3RK1304-5LS40-3AA0
ET 200PRO RSE HF	3RK1304-5LS40-3AA3
ET 200PRO RSE ST	3RK1304-5LS40-5AA0
ET 200PRO RSE ST	3RK1304-5LS40-5AA3
ET 200PRO EDSE/DSSE HF	3RK1304-5LS70-3AA0
ET 200PRO EDSE/DSSE HF	3RK1304-5LS70-3AA3

Frequency converter

[Compare technical specifications online](#)

	Article number
FREQUENCY CONV. SIMATIC ET 200PRO FC-	6SL3514-1KE13-5AE0

Accessories

[Compare technical specifications online](#)

	Article number
Connectors and cables for power supply 7/8"	
	Compare technical specifications online
7/8 SOCKET FOR 24 VOLT ANGLED	3RK1902-3DA00
Energy Cable 5 core, by meter	6XV1830-8AH10
ENERGY CABLE 24V 3 M BOTH SIDES	3RK1902-3NB30
ENERGY CABLE 24V - 5 M - BOTH SIDES	3RK1902-3NB50
ENERGY CABLE 24V - 10 M	3RK1902-3NC10
ENERGY CABLE 24V 3 M ONE SIDED	3RK1902-3GB30
BUS CABLE 24V 5 M ONE SIDED	3RK1902-3GB50
ENERGYCABLE 24VOLT 10 M	3RK1902-3GC10
7/8 STECKER FOR 24 VOLT ANGLED	3RK1902-3BA00
7/8" CONNECTING CABLE 0.3 M	6XV1822-5BE30
7/8" CONNECTING CABLE 0.5 M	6XV1822-5BE50
7/8" CONNECTING CABLE 1.0 M	6XV1822-5BH10
7/8 Connecting cable 1.5 m	6XV1822-5BH15
7/8" CONNECTING CABLE 2.0 M	6XV1822-5BH20
7/8" CONNECTING CABLE 3 M	6XV1822-5BH30
7/8 Connecting cable 5 m	6XV1822-5BH50
7/8 Connecting cable 10 m	6XV1822-5BN10
7/8 Connecting cable 15 m	6XV1822-5BN15
7/8 Connector	6GK1905-0FB00
7/8 Connector	6GK1905-0FA00
ET200, blank Plug 7/8" , 10 Pieces	6ES7194-3JA00-0AA0
PROFINET connectors and cables	
	Compare technical specifications online
IE M12 Plug PRO (1 piece)	6GK1901-0DB10-6AA0
IE M12 Plug PRO (8 piece)	6GK1901-0DB10-6AA8

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

[Compare technical specifications online](#)

	Article number
M12 PROFINET PLUG ANGLED	3RK1902-2DA00
BUS CABLE PROFINET 3 M BOTH SIDES	3RK1902-2NB30
BUS CABLE PROFINET 5 M BOTH SIDES	3RK1902-2NB50
BUS CABLE PROFINET 10 M BOTH SIDES	3RK1902-2NC10
BUS CABLE PROFINET 3 M	3RK1902-2HB30
BUS CABLE PROFINET 5 M	3RK1902-2HB50
BUS CABLE PROFINET 10 M	3RK1902-2HC10
IE Connecting Cable M12-180/RJ45, 2 m	6XV1871-5TH20
IE Connecting Cable M12-180/RJ45, 3 m	6XV1871-5TH30
IE Connecting Cable M12-180/RJ45, 5 m	6XV1871-5TH50
IE Connecting Cable M12-180/RJ45, 10 m	6XV1871-5TN10
IE Connecting Cable M12-180/RJ45, 15 m	6XV1871-5TN15
IE FC TP Standard Cable GP2x2 by meter	6XV1840-2AH10
IE FC TP Trailing Cable 2x2 by meter	6XV1840-3AH10
IE FC TP Marine Cable sold by meter	6XV1840-4AH10
IE FC M12 Plug PRO 2x2	6GK1901-0DB20-6AA0
IE FC M12 Plug PRO 2x2	6GK1901-0DB20-6AA8
IE M12 Panel Feedthrough (5 pieces)	6GK1901-0DM20-2AA5
IE RJ45 Plug PRO	6GK1901-1BB10-6AA0
IE FC TP Flexible Cable GP 2x2 sold by m	6XV1870-2B
IE FC TP Trailing Cable 2x2 by meter	6XV1870-2D
IE TP Torsion Cable 2x2 by meter	6XV1870-2F
TP Cord RJ45/RJ45 0.5 m	6XV1870-3QE50
TP Cord RJ45/RJ45 1 m	6XV1870-3QH10
TP Cord RJ45/RJ45 2 m	6XV1870-3QH20
TP Cord RJ45/RJ45 6 m	6XV1870-3QH60
TP Cord RJ45/RJ45 10 m	6XV1870-3QN10
TP XP Cord RJ45/RJ45 1 m	6XV1870-3RH10
TP XP Cord RJ45/RJ45 2 m	6XV1870-3RH20
TP XP Cord RJ45/RJ45 6 m	6XV1870-3RH60
TP XP Cord RJ45/RJ45 10 m	6XV1870-3RN10
IE Connecting Cable M12-180/M12-180 0,3m	6XV1870-8AE30
IE Connecting Cable M12-180/M12-180 0,5m	6XV1870-8AE50
IE Connecting Cable M12-180/M12-180 1 m	6XV1870-8AH10
IE Connecting Cable M12-180/M12-180 1,5m	6XV1870-8AH15
IE Connecting Cable M12-180/M12-180 2 m	6XV1870-8AH20
IE Connecting Cable M12-180/M12-180 3 m	6XV1870-8AH30
IE Connecting Cable M12-180/M12-180 5 m	6XV1870-8AH50
IE Connecting Cable M12-180/M12-180 10 m	6XV1870-8AN10
IE Connecting Cable M12-180/M12-180 15 m	6XV1870-8AN15
FC TP FRNC Cable GP, by meter	6XV1871-2F
IE FC TP Food Cable GP 2x2 by meter	6XV1871-2L
IE FC TP Festoon Cable 2x2 sold by the m	6XV1871-2S
FastConnect Stripping Tool	6GK1901-1GA00
FastConnect Blade Cassettes	6GK1901-1GB01
TP XP Cord RJ45/RJ45 0,5 m	6XV1870-3RE50
IE Connecting Cable M12-90/M12-90, 0,3m	6XV1870-8GE30
IE Connecting Cable M12-90/M12-90, 0,5m	6XV1870-8GE50
IE Connecting Cable M12-90/M12-90, 1 m	6XV1870-8GH10
IE Connecting Cable M12-90/M12-90, 1,5m	6XV1870-8GH15
IE Connecting Cable M12-90/M12-90, 2 m	6XV1870-8GH20
IE Connecting Cable M12-90/M12-90, 3 m	6XV1870-8GH30
IE Connecting Cable M12-90/M12-90, 5 m	6XV1870-8GH50
IE Connecting Cable M12-90/M12-90, 10 m	6XV1870-8GN10

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

[Compare technical specifications online](#)

	Article number
IE Connecting Cable M12-90/M12-90, 15 m	6XV1870-8GN15
PROFIBUS DP M12 connectors and cables	Compare technical specifications online
PROFIBUS M12 CONNECTING CABLE 0.3 M	6XV1830-3DE30
M12 PROFIBUS SOCKET ANGLED	3RK1902-1DA00
BUS CABLE PROFIBUS 3M BOTH SIDES	3RK1902-1NB30
BUS CABLE PROFIBUS 5M BOTH SIDES	3RK1902-1NB50
BUS CABLE PROFIBUS 10M BOTH SIDES	3RK1902-1NC10
M12 PROFIBUS PLUG ANGLED	3RK1902-1BA00
BUS CABLE PROFIBUS 3 M ONESIDED	3RK1902-1GB30
BUS CABLE PROFIBUS 5M ONE SIDED	3RK1902-1GB50
BUS CABLE PROFIBUS 10 M ONE SIDED	3RK1902-1GC10
PROFIBUS M12 CONNECTING CABLE 0.5 M	6XV1830-3DE50
PROFIBUS M12 CONNECTING CABLE 1.0 M	6XV1830-3DH10
PROFIBUS M12 CONNECTING CABLE 1.5 M	6XV1830-3DH15
PROFIBUS M12 CONNECTING CABLE 2.0 M	6XV1830-3DH20
PROFIBUS M12 CONNECTING CABLE 3 M	6XV1830-3DH30
PROFIBUS M12 CONNECTING CABLE 5 M	6XV1830-3DH50
PROFIBUS M12 CONNECTING CABLE 10 M	6XV1830-3DN10
PROFIBUS M12 CONNECTING CABLE 15 M	6XV1830-3DN15
PB FC M12 Plug PRO	6GK1905-0EA10
PB FC M12 Cable Connector PRO	6GK1905-0EB10
M12-Connector	6GK1905-0EA00
M12-Connector	6GK1905-0EB00
M12-Terminating connector	6GK1905-0EC00
PB FC Standard Cable GP by meter	6XV1830-0EH10
PB FC FRNC Cable GP by meter	6XV1830-0LH10
PB FC Underground Cable by meter	6XV1830-3FH10
PB Festoon Cable GP by meter	6XV1830-3GH10
PB FC Flexible Cable GP by meter	6XV1831-2K
PROFIBUS ECOFAST connection	Compare technical specifications online
PB ECOFAST Hybrid Cable 0,5 m	6XV1830-7BH05
ET200, blank Plug ecofast , 10 PCS.	6ES7194-1JB10-0XA0
ECOFASSTerminating Plug	6GK1905-0DA00
ECOFASSTerminating Plug	6GK1905-0DA10
PB ECOFAST Hybrid Cable by meter	6XV1830-7AH10
PB ECOFAST Hybrid Cable 1,0 m	6XV1830-7BH10
PB ECOFAST Hybrid Cable 1.5 m	6XV1830-7BH15
PB ECOFAST Hybrid Cable 3 m	6XV1830-7BH30
PB ECOFAST Hybrid Cable 5 m	6XV1830-7BH50
PB ECOFAST Hybrid Cable 10 m	6XV1830-7BN10
PB ECOFAST Hybrid Cable 15 m	6XV1830-7BN15
PB ECOFAST Hybrid Cable 20 m	6XV1830-7BN20
PB ECOFAST Hybrid Cable 25 m	6XV1830-7BN25
PB ECOFAST Hybrid Cable 30 m	6XV1830-7BN30
PB ECOFAST Hybrid Cable 35 m	6XV1830-7BN35
PB ECOFAST Hybrid Cable 40 m	6XV1830-7BN40
PB ECOFAST Hybrid Cable 45 m	6XV1830-7BN45
PB ECOFAST Hybrid Cable 50 m	6XV1830-7BN50
ECOFASSTerminating Plug	6XV1860-2P
ECOFASSTerminating Plug	6XV1860-3PH05
ECOFASSTerminating Plug	6XV1860-3PH10
ECOFASSTerminating Plug	6XV1860-3PH15
ECOFASSTerminating Plug	6XV1860-3PH30
ECOFASSTerminating Plug	6XV1860-3PH50

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

[Compare technical specifications online](#)

	Article number
ECOFAST Hybrid Cable GP 10 m	6XV1860-3PN10
ECOFAST Hybrid Cable GP 15 m	6XV1860-3PN15
ECOFAST Hybrid Cable GP 20 m	6XV1860-3PN20
ECOFAST Hybrid Cable GP 25 m	6XV1860-3PN25
ECOFAST Hybrid Cable GP 30 m	6XV1860-3PN30
ECOFAST Hybrid Cable GP 35 m	6XV1860-3PN35
ECOFAST Hybrid Cable GP 40 m	6XV1860-3PN40
ECOFAST Hybrid Cable GP 45 m	6XV1860-3PN45
ECOFAST Hybrid Cable GP 50 m	6XV1860-3PN50
PB ECOFAST Hybrid Cable 50 m	6XV1830-7AN50
PB ECOFAST Hybrid Cable by meter	6XV1830-7AH10
ECOFAST Hybrid Plug 180	6GK1905-0CA00
ECOFAST Hybrid Plug 180	6GK1905-0CB00
ECOFAST Hybrid Plug angled	6GK1905-0CC00
ECOFAST Hybrid Plug angled	6GK1905-0CD00
ECOFAST	3RK1911-1AA22
ECOFAST	3RK1911-1AA32
ECOFAST	3RK1911-1AF22
ECOFAST	3RK1911-1AF32
ECOFAST HYBR.FIELDDB. C. CU/CU-SOCK./SOCK	3RK1911-1AJ22
ECOFAST HYBR.FIELDDB. C. CU/CU-PIN/SOCK.	3RK1911-1AJ32
Cables for direct connection	Compare technical specifications online
PB Hybrid Standard Cable GP by meter	6XV1860-2R
PROFIBUS Hybrid Robust Cable by meter	6XV1860-2S
PB FC Trailing Cable, by meter	6XV1830-3EH10
PB FC Food bus Cable by meter	6XV1830-0GH10
PB FC Robust bus Cable sold by the m	6XV1830-0JH10
Energy Cable 5 core, by meter	6XV1830-8AH10
PROFINET Push-Pull connectors and cables	Compare technical specifications online
IE FC RJ45 Plug PRO	6GK1901-1BB20-6AA0
CAB_CONF RF600 ETHERNET, 10M	6GT2891-1HN10
IE SC RJ POF Plug PRO	6GK1900-0MB00-6AA0
IE FC RJ45 Plug 180 2x2 (1 piece)	6GK1901-1BB10-2AA0
IE FC RJ45 Plug 180 2x2 (10 pieces)	6GK1901-1BB10-2AB0
IE FC RJ45 Plug 90 2x2 (1 piece)	6GK1901-1BB20-2AA0
IE FC RJ45 Plug 90 2x2 (10 pieces)	6GK1901-1BB20-2AB0
IE FC RJ45 Plug 90 2x2 (50 pieces)	6GK1901-1BB20-2AE0
Power Plug PRO	6GK1907-0AB11-6AA0
POF Standard Cable GP 980/1000 by meter	6XV1874-2A
POF Trailing Cable 980/1000 sold by m	6XV1874-2B
ET200PRO, Caps for Push Pull Sockets	6ES7194-4JA50-0AA0
ET200PRO, Caps for Push Pull Sockets	6ES7194-4JD50-0AA0
IE RJ45 Plug PRO	6GK1901-1BB10-6AA0
IE FC RJ45 Plug PRO 4x2 (metal housing)	6GK1901-1BB21-6AA0
IE RJ45 Coupler PRO	6GK1901-0BP10-6AA0
Accessories M8, M12	Compare technical specifications online
AS-INTERFACE, BLANK PLUG	3RK1901-1KA00
AS-INTERFACE, BLANK PLUG	3RK1901-1PN00
M12 CONNECTOR STRAIGHT	3RK1902-4BA00-5AA0
M12 PROFIBUS SOCKET ANGLED	3RK1902-4HB15-5AA0
M12 PROFIBUS SOCKET ANGLED	3RK1902-4HB50-5AA0
M12 PROFIBUS SOCKET ANGLED	3RK1902-4HC01-5AA0
M12 - M12 CABLE 1.5M 3 POLE	3RK1902-4PB15-3AA0
AS-I CAP PLUGS	3RX9802-0AA00

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

[Compare technical specifications online](#)

Article number

ET200, Y Cable	6ES7194-6KA00-0XA0
ET200, Compensation Connector	6ES7194-4AB00-0AA0
Conn. Cable IO-Link, 2 X M12-4pin, 5m	6GT2891-4MH50
Conn. Cable IO-Link, 2 X M12-4pin, 10m	6GT2891-4MN10
Control Cable 5 core cable sold by meter	6XV1801-2C
Control Connecting Cable M12/M12, 0,5m	6XV1801-2CE50
Control Connecting Cable M12/M12, 1,0m	6XV1801-2CH10
Control Connecting Cable M12/M12, 1,5m	6XV1801-2CH15
Control Connecting Cable M12/M12, 2,0m	6XV1801-2CH20
Control Connecting Cable M12/M12, 3,0m	6XV1801-2CH30
Control Connecting Cable M12/M12, 5,0m	6XV1801-2CH50
Control Connecting Cable M12/M12, 10,0m	6XV1801-2CN10
Control Connecting Cable M12/M12, 15,0m	6XV1801-2CN15
Control M12 Cable Connector PRO	6GK1908-0DC10-6AA0

Accessories for CPU[Compare technical specifications online](#)

S7 Micro Memory Card, 64KB	6ES7953-8LF31-0AA0
S7 Micro Memory Card, 128KB	6ES7953-8LG31-0AA0
S7 Micro Memory Card, 512KB	6ES7953-8LJ31-0AA0
S7 Micro Memory Card, 2MB	6ES7953-8LL31-0AA0
S7 Micro Memory Card, 4MB	6ES7953-8LM32-0AA0
S7 Micro Memory Card, 8MB	6ES7953-8LP31-0AA0
ET 200PRO, Sealing caps M12, 5 PCS	6ES7194-4JD60-0AA0
M12-TERMINATING CONNECTOR	6GK1905-0ED00

Accessories for motor starter[Compare technical specifications online](#)

5 CONTACT SOCKETS 2,5MM2	3RK1911-2BE50
5 CONTACT SOCKETS 4MM2	3RK1911-2BE10
5 CONTACT SOCKETS 6MM2	3RK1911-2BE30
POWER JUMPER PLUG	3RK1922-2BQ00
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DB13
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DB33
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DC13
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DC33
BLANK PLUG	3RK1902-0CJ00
BLANK PLUG	3RK1902-0CK00
CONNECTOR SET, MOTOR SUPPLY	3RK1902-0CE00
CONN. SET, 6 X 2,5QMM, 9	3RK1902-0CC00
MOTOR CABLE, ONE SIDE PREASS,4X1.5MM2	3RK1911-0EB31
MOTOR CABLE, ONE SIDE PREASS,6X1.5MM2	3RK1911-0ED31
EET 200PRO MS/RSM	3RK1911-2BF50
CONNECTOR SET POWER TRANSM. 4MM2 HANQ4/2	3RK1911-2BF10
SINAMICS G120D USB INTERFACE CABLE	6SL3555-0PA00-2AA0
CONNECTOR SET, MOTOR CAB HAN 1NC, 1.5MM2	3RK1911-2BM21
CONNECTOR SET, MOTOR CAB HAN 1NC, 2.5MM2	3RK1911-2BM22
CONN. SET,EMC, MOTOR CAB HAN 10E, 1.5MM2	3RK1911-2BL21
CONN. SET,EMC, MOTOR CAB HAN 1NC, 2.5MM2	3RK1911-2BL22
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DF13
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DF33
RS232 INTERFACE CONNECTION	3RK1922-2BP00
CONNECTOR SET POWER TRANSM. 4MM2 HANQ4/2	3RK1911-2BF10

Accessories for frequency converters[Compare technical specifications online](#)

5 CONTACT SOCKETS 2,5MM2	3RK1911-2BE50
5 CONTACT SOCKETS 4MM2	3RK1911-2BE10
5 CONTACT SOCKETS 6MM2	3RK1911-2BE30
POWER CONN.CABLE,ONE SIDE PREASS,4X4MM2	3RK1911-0DB13

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Accessories

[Compare technical specifications online](#)

	Article number
POWER CONN.CABLE,ONE SIDE PREASS.,4X4MM2	3RK1911-0DB33
POWER JUMPER PLUG	3RK1922-2BQ00
BLANK PLUG	3RK1902-0CK00
BLANK PLUG	3RK1902-0CJ00
MMC 64MB FOR SINAMICS G120/ET 200S FC	6SL3254-0AM00-0AA0
RS232 INTERFACE CONNECTION	3RK1922-2BP00
Accessories	Compare technical specifications online
Antenna Cable N-Connect/RSMA m/m 1m	6XV1875-5CH10
Antenna Cable N-Connect/RSMA m/m 2m	6XV1875-5CH20
Antenna Cable N-Connect/RSMA m/m 5m	6XV1875-5CH50
Antenna Cable N-Connect/RSMA m/m 10m	6XV1875-5CN10
R-SMA Terminating Resistor TI 795-1R	6GK5795-1TR10-0AA6
Lightning Protector LP 798-1N	6GK5798-2LP00-2AA6
Labeling strips	Compare technical specifications online
ET200PRO, Module Labels Multi-coloured	6ES7194-4HA00-0AA0
Fuses	Compare technical specifications online
ET200PRO, Spare Fuses 12.5A	6ES7194-4HB00-0AA0
Manuals	
Software	Compare technical specifications online
SIMATIC Manual Collection on DVD	6ES7998-8XC01-8YE0
SIMATIC Manual Collection	6ES7998-8XC01-8YE2
Accessories M8, M12, M23	Compare technical specifications online
Repeater RS485 f. PROFIBUS/MPI	6ES7972-0AA02-0XA0
Diagnostic repeater f. PROFIBUS-DP,	6ES7972-0AB01-0XA0
SIPLUS	Compare technical specifications online
SIPLUS Diagnose-Repeater fuer Profibus	6AG1972-0AB01-4XA0
SIPLUS DP RS485-Repeater	6AG1972-0AA02-7XA0

 : Safety-related component

* By clicking on the article number, you will be taken to the product in the TIA Selection Tool cloud.

Published by
Siemens AG

Digital Industries
Factory Automation
P.O. box 4848
90026 Nuremberg
Germany

For U.S. only:

Siemens Industry Inc.
100 Technology Drive
Alpharetta, GA 30005
United States

The TIA SELECTION TOOL and all its editions are made available to you at no charge. We therefore do not assume any warranty, in particular for the accuracy, correctness, completeness, availability or usability of this tool. Our liability for damages resulting from using the examples, help notes, programs, configuration and performance data, etc. described in this TIA SELECTION TOOL and all its editions regardless of the legal background is excluded unless required by law, e.g. in cases of willful misconduct, gross negligence, personal injury or death, failure to achieve guaranteed characteristics or fraudulent concealment of a defect or in case of breach of fundamental contractual obligations. Distribution or reproduction of this TIA SELECTION TOOL and all its editions or excerpts from it is prohibited unless expressly permitted by Siemens. The latest firmware and hardware versions are configured in the TIA Selection Tool.

Subject to change